

Greater Glasgow and Clyde

Alcohol and Drug  
Prevention and  
Education Model

Collated evidence base  
(2008 – 2011)



References

References

2011 - 2014 Review Date - 2017



# References

## Protective and Resilience Factors

---

- Ali, M.M, Dwyer, D.S., Vanner, E.A., & Lopez, A. (2010) Adolescent Propensity to Engage in Health Risky Behaviors: The Role of Individual Resilience. *Int J Environ Res Public Health*, May; 7(5), 2161–2176.
- Bellis, M.A., Morleo, M., Hughes, K., Downing, J., Wood, S., Smallthwaite, L., & Cook, P.A. (2010) A cross-sectional survey of compliance with national guidance for alcohol consumption by children: measuring risk factors, protective factors and social norms for excessive and unsupervised drinking. *BMC Public Health*, 10, 547.
- Benton, S.L., Downey, R.G., Glider, P.J., Benton, S.A. (2008) College students' norm perception predicts reported use of behavioral strategies for alcohol consumption. *J Stud Alcohol Drugs.*, 69, 859–865.
- Borden, L.A., Martens, M.P., McBride, M.A., Sheline, K.T., Bloch, K.K., & Dude K. (2011) The role of college students' use of protective behavioral strategies in the relation between binge drinking and alcohol-related problems. *Psychol Addict Behav.*, Jun;25(2), 346-51.
- Broome, K.M. & Bennett, J.B. (2011) Reducing heavy alcohol consumption in young restaurant workers. *J Stud Alcohol Drugs.*, Jan;72(1), 117-24.
- Dishion, T.J. & Kavanagh, K. (2003) *Intervening in adolescent problem behavior: A family-centered approach*. New York: Guilford Press; 2003.
- Catalano, R. F. & Hawkins, J. D. (1996) The social development model: A theory of antisocial behavior. In J. D. Hawkins (Ed.), *Delinquency and crime: Current theories* (pp. 149-197). New York: Cambridge University Press.
- Catalano, R.F., Kosterman, R., Hawkins, J.D., Newcomb, M.D., & Abbott, R.D. (1996) Modeling the Etiology of Adolescent Substance Use: A Test of the Social Development Model. *J Drug Issues*, 26(2),429-455.
- Cleveland, M.J., Collins, L.M., Lanza, S.T., Greenberg, M.T., & Feinberg, M.E. (2010) Does Individual Risk Moderate the Effect of Contextual-Level Protective Factors? A Latent Class Analysis of Substance Use. *J Prev Interv Community*, July; 38(3), 213–228.
- Cleveland, M.J., Feinberg, M.E., Bontempo, D.E., & Greenberg (2008) The Role of Risk and Protective Factors in Substance Use across Adolescence. *J Adolesc Health.*, August; 43(2), 157–164.
- Danielsson, A.K., Romelsjö, A., & Tengström, A. (2011) Heavy episodic drinking in early adolescence: gender-specific risk and protective factors. *Subst Use Misuse.*, 46(5), 633-43.
- Ferguson, C.J., & Meehan, D.C. (2011) With friends like these...: peer delinquency influences across age cohorts on smoking, alcohol and illegal substance use. *Eur Psychiatry.*, Jan;26(1), 6-12.
- Glasgow Centre for Population Health (2012). *Young people, gender and alcohol*. Briefing Paper 32. [www.gcph.co.uk/genderandalcohol](http://www.gcph.co.uk/genderandalcohol)
- Hessler, D., & Fainsilber Katz, L. (2010) Brief Report: Associations between Emotional Competence and Adolescent Risky Behavior. *J Adolesc*, February; 33(1), 241.





# References

## Protective and Resilience Factors

---

- Hodder, R.K., Daly, J., Freund, M., Bowman, J., Hazell, T., & Wiggers, J. (2011) A school-based resilience intervention to decrease tobacco, alcohol and marijuana use in high school students. *BMC Public Health*, 11, 722.
- Jessor, R. (1991). Risk behavior in adolescence: A psychosocial framework for understanding and action. *J Adolesc Health*, 12, 597-605.
- Labrie, J.W., Lac, A., Kenney, S.R., & Mirza, T. (2011) Protective behavioral strategies mediate the effect of drinking motives on alcohol use among heavy drinking college students: gender and race differences. *Addict Behav.*, Apr;36(4), 354-61.
- Larm, P., Hodgins, S., Tengström, A., & Larsson, A. (2010) Trajectories of resilience over 25 years of individuals who as adolescents consulted for substance misuse and a matched comparison group. *Addiction.*, Jul;105(7), 1216-25.
- Lewis, M. A., Rees, M., & Lee, C.M. (2009). Gender-Specific Normative Perceptions of Alcohol-Related Protective Behavioral Strategies. *Psychol Addict Behav*, September; 23(3), 539–545.
- López Larrosa S, Rodríguez-Arias Palomo J,L. (2010) Risk and protective factors for recent alcohol use among African-American youth. *Psicothema*, Nov.2(4), 568-73.
- Mistry, R., McCarthy, W.J., Yancey, A.K., Lu, Y., & Patel, M. (2009) Resilience and patterns of health risk behaviors in California adolescents. *Prev Med.*, Mar;48(3), 291-7.
- Moore, G.F., Rothwell, H., & Segrott, J. (2010) An exploratory study of the relationship between parental attitudes and behaviour and young people's consumption of alcohol. *Subst Abuse Treat Prev Policy.*, Apr 22, 5:6.
- Nichols, T., Mahadeo, M., Bryant, K., & Botvin, G. (2008) Examining anger as a predictor of drug use among multiethnic middle school students. *J School Health*, 78, 480–486
- Palmer, R.S., Corbin, W.R., & Cronce, J.M. (2010). Protective strategies: A mediator of risk associated with age of drinking onset. *Addict Behav.*, May; 35(5), 486–491.
- Patrick, M.E., Lee, C.M., & Larimer, M.E. (2011) Drinking motives, protective behavioral strategies, and experienced consequences: Identifying students at risk. *Addict Behav.*, Mar;36(3), 270-3.
- Ray, A.E., Turrisi, R., Abar, B, & Peters, K.E. (2009). Social-Cognitive Correlates of Protective Drinking Behaviors and Alcohol-Related Consequences in College Students. *Addict Behav.*, November; 34(11), 911–917.
- Schinke, S.P., Fang, L., & Cole, K.C.A. (2008) Substance Use among Early Adolescent Girls: Risk and Protective Factors. *J Adolesc Health*, August; 43(2), 191–194.
- Schinke, S.P., Fang, L., & Cole, K.C. (2009) Computer-Delivered, Parent-Involvement Intervention to Prevent Substance Use among Adolescent Girls. *Prev Med.*, November; 49(5), 429–435.





# References

## Protective and Resilience Factors

---

Shelton, N., & Savell, E. (2011) The geography of binge drinking: the role of alcohol-related knowledge, behaviours and attitudes. Results from the Health Survey for England 2007. *Health Place.*, May;17(3), 784-92.

Sutfin, E.L., Light, L.S., Wagoner, K.G., McCoy, T.P., Thompson, M.P., Rhodes, S.D., & Spitler, H.D. (2009) Protective behaviors and high-risk drinking among entering college freshmen. *Am J Health Behav.*, Sep-Oct;33(5),610-9.

Thompson, M.P., Spitler, H., McCoy, T.P., Marra, L., Sutfin, E.L., Rhodes, S.D., & Brown, C. (2009) The moderating role of gender in the prospective associations between expectancies and alcohol-related negative consequences among college students. *Subst Use Misuse.*, 44(7), 934-42.

Vidourek, R.A., & King, K.A. (2010) Risk and protective factors for recent alcohol use among African-American youth. *J Drug Educ.*, 40(4), 411-25.

Wu, P., Liu, X., & Fan, B. (2010). Factors Associated with Initiation of Ecstasy Use among US Adolescents: Findings from a National Survey. *Drug Alcohol Depend.*, January 15; 106(2-3), 193.

## Environmental Measures

---

Anderson, P., Chisholm, D., & Fuhr, D.C. (2009) Effectiveness and cost-effectiveness of policies and programmes to reduce the harm caused by alcohol. *Lancet.* 2009 Jun 27;373(9682):2234-46.

Bolier, L., Voorham, L., Monshouwer, K., van Hasselt, N., & Bellis, M. (2011) Alcohol and drug prevention in nightlife settings: a review of experimental studies. *Subst Use Misuse.*, 46(13), 1569-91.

Brennan, I., Moore, S.C., Byrne, E., & Murphy, S. (2011) Interventions for disorder and severe intoxication in and around licensed premises, 1989-2009. *Addiction.*, 106(4), 706-13.

Chinman, M., Burkhart, Q., Ebener, P., Fan, C.C., Imm, P., Osilla, K.C., Paddock, S.M., & Wright, A. (2011) The premises is the premise: understanding off- and on-premises alcohol sales outlets to improve environmental alcohol prevention strategies. *Prev Sci.*, 12(2), 181-91.

Clapp, J.D., Reed, M.B., Min, J.W., Shillington, A.M., Croff, J.M., Holmes M.R., Trim, R.S. (2009) Blood alcohol concentrations among bar patrons: A multi-level study of drinking behaviour. *Drug Alcohol Depend.*, 102(1-3), 41-48.

Forsyth, A.J.M. (2008) Banning glassware from nightclubs in Glasgow (Scotland): Observed impacts, compliance and patron's views. *Alcohol and Alcoholism*, 43 (1), 111-117.

Graham, K., Osgood, D.W., Zibrowski, E., Purcell, J., Gliksman, L., Leonard, K., Parnanen, K., Saltz, R.F., & Toomey, T.L. (2004) The effect of the Safer Bars programme on physical aggression in bars: results of a randomized controlled trial. *Drug Alcohol Rev.*, 23(1):31-41.

Graham, K., Bernards, S., Osgood, D.W., & Wells, S. (2011a) 'Hotspots' for aggression in licensed drinking venues. *Drug Alcohol Rev.* 2011 Nov 3. doi: 10.1111/j.1465-3362.2011.00377.x. [Epub ahead of print]





# References

## Protective and Resilience Factors

---

- Graham, K., Bernards, S., Wells, S., Osgood, D.W., Abbey, A., Felson, R.B., & Saltz RF. (2011b) Behavioural indicators of motives for barroom aggression: implications for preventing bar violence. *Drug Alcohol Rev.*, 30(5), 554-63.
- Gripenberg, J., Wallin, E., & Andréasson, S. (2007) Effects of a community-based drug use prevention program targeting licensed premises. *Subst Use Misuse.*, 42(12-13), 1883-98.
- Gripenberg, J., Wallin, E., & Andréasson, S. (2011a) Long-term effects of a community-based intervention: 5-year follow-up of 'Clubs against Drugs'. *Addiction.*, 106(11), 1997-2004.
- Gripenberg, J., Wallin, E., & Andréasson, S. (2011b) The "Clubs against Drugs" program in Stockholm, Sweden: two cross-sectional surveys examining drug use among staff at licensed premises. *Subst Abuse Treat Prev Policy*, 6, 2.
- Gruenewald, P.J. (2007) The spatial ecology of alcohol problems: niche theory and assortative drinking. *Addiction*, 102, 870–878.
- Hawkins, N., Sanson-Fisher, R., Shakeshaft, A., & Webb, G. (2009) Differences in licensee, police and public opinions regarding interventions to reduce alcohol-related harm associated with licensed premises. *Aust N Z J Public Health.*, 33(2), 160-6.
- Holder HD. (1998) *Alcohol and the community: A systems approach to prevention*. Cambridge: Cambridge University press.
- Huckle, T., Huakau, J., Sweetsur, P., Huisman, O., & Casswell, S. (2008) Density of alcohol outlets and teenage drinking: living in an alcogenic environment is associated with higher consumption in a metropolitan setting. *Addiction.*, 103(10), 1614-21.
- Hughes, K., Anderson, Z., Morleo, M., & Bellis, M.A. (2008) Alcohol, nightlife and violence: the relative contributions of drinking before and during nights out to negative health and criminal justice outcomes. *Addiction.*, 103(1), 60-5.
- Hughes, K., Quigg, Z., Eckley, L., Bellis, M., Jones, L., Calafat, A., Kosir, M., & van Hasselt, N. (2011) Environmental factors in drinking venues and alcohol-related harm: the evidence base for European intervention. *Addiction.*, 106 Suppl 1, 37-46.
- Jamison, J., & Myers, L.B. (2008) Peer-Group and Price Influence Students Drinking along with Planned Behaviour *Alcohol and Alcoholism*, 43 (4), 492-497.
- Jones L., Hughes, K., Atkinson, A.M., & Bellis, M.A. (2011) Reducing harm in drinking environments: a systematic review of effective approaches. *Health Place.*, 17(2), 508-18.
- Kavanagh, A.M., Kelly, M.T., Krnjacki, L., Thornton, L., Jolley, D., Subramanian, S.V., Turrell G, Bentley, R.J. (2011) Access to alcohol outlets and harmful alcohol consumption: a multi-level study in Melbourne, Australia. *Addiction.*, 106(10), 1772-9.





# References

## Protective and Resilience Factors

---

- Kuntsche, E., Kuendig, H., & Gmel, G. (2008) Alcohol outlet density, perceived availability and adolescent alcohol use: a multilevel structural equation model. *J Epidemiol Community Health.*, 62(9), 811-6.
- Liang, W., & Chikritzhs, T. (2011) Revealing the link between licensed outlets and violence: counting venues versus measuring alcohol availability. *Drug Alcohol Rev.*, 30(5), 524-35.
- Livingston, M. (2008) A longitudinal analysis of alcohol outlet density and assault. *Alcohol Clin Exp Res.*, 32(6), 1074-9.
- Middleton, J.C., Hahn, R.A., Kuzara, J.L., Elder, R., Brewer, R., Chattopadhyay, S., Fielding, J., Naimi, T.S., Toomey, T., Lawrence, B; Task Force on Community Preventive Services. (2010) Effectiveness of policies maintaining or restricting days of alcohol sales on excessive alcohol consumption and related harms. *Am J Prev Med.*, 39(6), 575-89.
- Millard, A., Lydon, S., Girdwood, L., & Malcolm, L. (2008). Measures to reduce alcohol related disorder in Glasgow city centre. *Drugs: education, prevention and policy*, 15, 15-25
- Miller, B.A., Furr-Holden, D., Johnson, M.B., Holder, H., Voas, R., & Keagy, C. (2009) Biological markers of drug use in the club setting. *J of Stud on Alc and Drugs.*, 70, 261–268.
- Miller, P., Sønderlund, A., Coomber, K., Palmer, D., Gillham, K., Tindall, J., Wiggers, J. (2011) Do community interventions targeting licensed venues reduce alcohol-related emergency department presentations? *Drug Alcohol Rev.*, 30(5), 546-53.
- Moore, S.C., & Foreman-Peck, J. (2009) Alcohol consumption predicts violent victimization, impulsive decision making predicts violence. *Open Behavioral Science Journal.*, 3, 28–33.
- Moore, S.C., Brennan, I., & Murphy, S. (2011) Predicting and measuring premises-level harm in the night-time economy. *Alcohol Alcohol.*, 46(3), 357-63.
- O'Mara, R.J., Thombs, D.L., Wagenaar, A.C., Rossheim, M.E., Merves, M.L., Hou, W., Dodd, V.J., Pokorny, S.B., Weiler, R.M., & Goldberger, B.A. (2009) Alcohol price and intoxication in college bars. *Alcohol Clin Exp Res.*, 33(11), 1973-80.
- Rowe, S.C., Wiggers, J.H., Wolfenden, L., & Francis, J.L. (2010) Establishments licensed to serve alcohol and their contribution to police-recorded crime in Australia: further opportunities for harm reduction. *J Stud Alcohol Drugs.*, 71(6), 909-16.
- Rowe, S., Wiggers, J., Kingsland, M., Nicholas, C., & Wolfenden, L. (2011) Alcohol consumption and intoxication among people involved in police-recorded incidents of violence and disorder in non-metropolitan New South Wales. *Aust N Z J Public Health.*, 36(1), 33-40.
- Saltz, R.F., Paschall, M.J., McGaffigan, R.P., & Nygaard, P.M. (2010) Alcohol risk management in college settings: the safer California universities randomized trial. *Am J Prev Med.*, 39(6), 491-9.
- Saltz, R.F., Paschall, M.J., McGaffigan, R.P., & Nygaard, P.M.O (2011) Alcohol Risk Management in College Settings The Safer California Universities Randomized Trial. *Am J Prev Med*, 39(6), 491–499.





# References

## Protective and Resilience Factors

---

- Thombs, D.L., Dodd, V., Pokorny, S.B., Omlil, M.R., O'Mara, R., Webb, M.C., Lacaci, D.M., Werch, C. (2008) Drink specials and the intoxication levels of patrons exiting college bars. *Am J Health Behav.*, 32(4), 411-9.
- Thombs, D.L., O'Mara, R., Dodd, V.J, Hou, W., Merves, M.L., Weiler, R.M., Pokorny, S.B., Goldberger, B.A., Reingle, J., & Werch, C.C. (2009) A field study of bar-sponsored drink specials and their associations with patron intoxication. *J Stud Alcohol Drugs.*, 70(2), 206-14.
- Too, L.S., Haworth, N., Lennon, A., Titchener, K. (2011) Community Beliefs About Intentional Injury and Responsibility for Prevention. *Asia Pac J Public Health.* 2011 Dec 20. [Epub ahead of print]
- Toomey, T.L., Lenk, K.M., Wageaar, A.C. (2007) Environmental policies to reduce college drinking: An update of research findings. *J. Stud. Alcohol Drugs.*, 68, 208–219.
- Treno, A.J., Ponicki, W.R., Remer, L.G., & Gruenewald, P.J. (2008) Alcohol outlets, youth drinking, and self-reported ease of access to alcohol: a constraints and opportunities approach. *Alcohol Clin Exp Res.*, 32(8), 1372-9.
- Warpenius, K., Holmila, M., & Mustonen, H. (2010) Effects of a community intervention to reduce the serving of alcohol to intoxicated patrons. *Addiction.*, (6), 1032-40.
- Wells, S., Graham, K., & Purcell, J. (2009) Policy implications of the widespread practice of 'pre-drinking' or 'pre-gaming' before going to public drinking establishments: are current prevention strategies backfiring? *Addiction.*, 104(1), 4-9.
- Wood, M.D., DeJong, W., Fairlie, A.M., Lawson, D., Lavigne, A.M, Cohen, F (2009) Common Ground: An Investigation of Environmental Management Alcohol Prevention Initiatives in a College Community. *J Stud Alcohol Drugs Suppl.*, (Supplement no. 16): 96–105.

## Community Involvement

---

- Bagnardi, V., Sorini, E., Disalvatore, D., Assi, V., Corrao, G., & De Stefani, R. (2011) Collaborative 'Alcohol, less is better' Group. (2011) 'Alcohol, less is better' project: outcomes of an Italian community-based prevention programme on reducing per-capita alcohol consumption. *Addiction.*, 106(1), 102-10.
- Brazg, T., Bekemeier, B., Spigner, C., & Huebner, C.E. (2011) Our community in focus: the use of photovoice for youth-driven substance abuse assessment and health promotion. *Health Promot Pract.*, 12(4), 502-11.
- Catalano, R. F. & Hawkins, J. D. (1996). The social development model: A theory of antisocial behavior. In J. D. Hawkins (Ed.), *Delinquency and crime: Current theories* (pp. 149-197). New York: Cambridge University Press.





# References

## Community Involvement

---

- Fagan, A.A., Van Horn, M.L., Hawkins, J.D., & Arthur, M.W. (2007) Gender similarities and differences in the association between risk and protective factors and self-reported serious delinquency. *Prev Science.*, 8(2), 115–124.
- Foley, A. (2008) The current state of gender-specific delinquency programming. *J of Crim Justice.*, 36(3), 262–269.
- Glasgow Centre for Population Health (2011). Asset based approaches for health improvement. Briefing Paper 9 Concepts Series.
- Gilligan, C., Sanson-Fisher, R., Anderson, A.E., & D'Este, C. (2011) Strategies to increase community-based intervention research aimed at reducing excessive alcohol consumption and alcohol-related harm. *Drug Alcohol Rev.*, 30(6), 659-63.
- Kristjansson, A.L., James, J.E., Allegrante, J.P., Sigfusdottir, I.D., & Helgason, A.R. (2010) Adolescent substance use, parental monitoring, and leisure-time activities: 12-year outcomes of primary prevention in Iceland. *Prev Med.*, 51(2), 168-71.
- Holleran Steiker, L.K. PhD (2008) Making Drug and Alcohol Prevention Relevant. *Fam Community Health.*, 31(Suppl 1), S52–S60.
- Hawkins, J.D., Catalano, R.F., & Miller, J.Y. (1992) Risk and protective factors for alcohol and other drug problems in adolescence and early adulthood: Implications for substance-abuse prevention. *Psych Bulletin.*, 112, 64–105.
- Hawkins, J.D., & Catalano, R.F. (2002) Investing in your community's youth: An introduction to the Communities That Care system. South Deerfield, MA: Channing Bete.
- Hawkins, J.D., Catalano, R.F., & Arthur, M.W. (2002) Promoting science-based prevention in communities. *Addictive Behaviors*, 27(6), 951–976.
- Hawkins, J.D., Catalano, R.F., Arthur, M.W., Egan, E., Brown, E.C., Abbott, R.D., et al. (2008a) Testing Communities That Care: The rationale, design and behavioral baseline equivalence of the Community Youth Development Study. *Prev Science*, 9(3), 178–190.
- Hawkins, J.D., Brown, E.C., Oesterle, S., Arthur, M.W., Abbott, R.D., & Catalano, R.F. (2008b) Early effects of Communities That Care on targeted risks and initiation of delinquent behavior and substance use. *J Adolesc Health.*, 43(1), 15-22.
- Hawkins, J.D., Oesterle, S., Brown, E.C., Monahan, K.C., Abbott, R.D., Arthur, M.W., & Catalano, R.F. (2011) Sustained Decreases in Risk Exposure and Youth Problem Behaviors After Installation of the Communities That Care Prevention System in a Randomized Trial, *Arch Pediatr Adolesc Med.* Published online October 3, 2011.
- Kääriäinen, J., Aalto, M., Kääriäinen, M., & Seppä, K. (2008) Audit Questionnaire as Part of Community Action Against Heavy Drinking. *Alcohol and Alcoholism*, 43 (4), 442-445.





# References

## Community Involvement

---

Kolsek, M., Struzzo, P., & Svab, I. (2008) Qualitative study on community and primary health care involvement on alcohol and tobacco actions in seven European countries. *Subst Use Misuse*, 43(3-4), 303-16.

Oesterle, S., Hawkins, J.D., Fagan, A.A., Abbott, R.D., & Catalano, R.F. (2010) Testing the Universality of the Effects of the Communities That Care Prevention System for Preventing Adolescent Drug Use and Delinquency. *Prev Sci*, 11(4), 411–423.

Parkin, S., & Coomber, R. (2011) Injecting drug user views (and experiences) of drug-related litter bins in public places: a comparative study of qualitative research findings obtained from UK settings. *Health Place*, 17(6), 1218-27.

Paschall, M.J., Flewelling, R.L. & Grube, J.W. (2009) Using Statewide Youth Surveys to Evaluate Local Drug Use Policies and Interventions *Contemp Drug Probl*, 36(3/4), 427–446.

Saul, J., Duffy, J., Noonan, R., Lubell, K., Wandersman, A., Flaspohler, P., et al. (2008) Bridging science and practice in violence prevention: Addressing ten key challenges. *Am J of Comm Psych*, 41(3-4), 197–205.

Sigfúsdóttir, I.D., Thorlindsson, T., Kristjánsson, A.L., Roe, K.M., & Allegrante, J.P. (2009) Substance use prevention for adolescents: the Icelandic Model. *Health Promot Int*, 24(1), 16-25.

## Diversions Approaches

---

Abrantes, A.M., Battle, C.L., Strong, D.R., Ing, E., Dubreuil, M.E., Gordon, A., & Brown, R.A. (2011) Exercise preferences of patients in substance abuse treatment. *Ment Health Phys Act*, 4(2), 79-87.

Brown, R.A., Abrantes, A.M., Read, J.P., Marcus, B.H., Jakicic, J., Strong, D.R., Oakley, J.R., Ramsey, S.E., Kahler, C.W., Stuart, G.G., Dubreuil, M.E., & Gordon, A.A. (2010) A Pilot Study of Aerobic Exercise as an Adjunctive Treatment for Drug Dependence. *Ment Health Phys Act*, 3(1), 27-34.

D’Amico, E.J. & Edelen, M.O. (2007) Pilot test of Project CHOICE: a voluntary afterschool intervention for middle school youth. *Psychol Addict Behav*, 21(4), 592-8

D’Amico, E.J., Tucker, J.S., Miles, J.N., Zhou, A.J., Shih, R.A., & Green, H.D. Jr (2012). Preventing Alcohol Use with a Voluntary After-School Program for Middle School Students: Results from a Cluster Randomized Controlled Trial of CHOICE. *Prev Sci*. Feb 5. [Epub ahead of print]

Dingle, G.A., Gleadhill, L., & Baker, F.A. (2008) Can music therapy engage patients in group cognitive behaviour therapy for substance abuse treatment? *Drug Alcohol Rev*, 27(2), 190-6.

Eime, R.M., Payne, W.R., & Harvey, J.T. (2008) Making sporting clubs healthy and welcoming environments: a strategy to increase participation. *J Sci Med Sport*, 11(2), 146-54.

Engels, R.C., Slettenhaar, G., ter Bogt, T., & Scholte, R.H. (2011) Effect of alcohol references in music on alcohol consumption in public drinking places. *Am J Addict*, 20(6), 530-4.





# References

## Diversiónary Approaches

---

- Finlay, A.K., Ram, N., Maggs, J.L., & Caldwell, L.L. (2012) Leisure activities, the social weekend, and alcohol use: evidence from a daily study of first-year college students. *J Stud Alcohol Drugs.*, 73(2), 250-9.
- Guttman, N., Gesser-Edelsburg, A., & Israelashvili, M. (2008) The paradox of realism and “authenticity” in entertainment-education: a study of adolescents’ views about anti-drug abuse dramas. *health Commun.*,23(2), 128-41.
- Huurre, T., Lintonen, T., Kaprio, J., Pelkonen, M., Marttunen, M., & Aro, H. (2010) Adolescent risk factors for excessive alcohol use at age 32 years. A 16-year prospective follow-up study. *Soc Psychiatry Psychiatr Epidemiol.*, 45(1), 125-34.
- Kendzor, D.E., Dubbert, Olivier, J., Businelle, M.S., Grothe, K.B., & PATHS Investigators (2008) The Influence of Physical Activity on Alcohol Consumption among Heavy Drinkers Participating in an Alcohol Treatment Intervention. *Addict Behav.*, 33(10), 1337–1343.
- Kilmer, B., Burgdorf, J.R., D’Amico, E.J., Miles, J, & Tucker, J. (2011) Multisite cost analysis of a school-based voluntary alcohol and drug prevention program. *J Stud Alcohol Drugs.*, 72(5), 823-32.
- Lisha, N.E., & Sussman, S. (2010) Relationship of high school and college sports participation with alcohol, tobacco, and illicit drug use: A review. *Addict Behav.*, 35(5), 399–407.
- Martha, C., Grélot, L., & Peretti-Watel, P. (2009) Participants’ sports characteristics related to heavy episodic drinking among French students. *Int J Drug Policy.*, 20(2), 152-60.
- Mays, D., & Thompson, N.J. (2009) Alcohol-related risk behaviors and sports participation among adolescents: an analysis of 2005 Youth Risk Behavior Survey data. *J Adolesc Health.*, 44(1), 87-9.
- Mays, D., Depadilla, L., Thompson, N.J., Kushner, H.I., & Windle, M. (2010) Sports participation and problem alcohol use: a multi-wave national sample of adolescents. *Am J Prev Med.*, 38(5), 491-8.
- McCalman, J., Tsey, K., Wenitong, M., Wilson, A., McEwan, A., James, Y.C., & Whiteside, M. (2010) Indigenous men’s support groups and social and emotional wellbeing: a meta-synthesis of the evidence. *Aust J Prim Health.*, 16(2), 159-66.
- Modric, T., Zenic, N., & Sekulic, D. (2011) Substance use and misuse among 17- to 18-year-old Croatian adolescents: correlation with scholastic variables and sport factors. *Subst Use Misuse.*, 46(10), 1328-34.
- Moore, M.J., & Werch, C. (2008) Relationship between vigorous exercise frequency and substance use among first-year drinking college students. *J Am Coll Health.*, 56(6), 686-90.
- Moreno-Murcia, J.A, Hellín, P., González-Cutre, D., Martínez-Galindo, C. (2011) Influence of perceived sport competence and body attractiveness on physical activity and other healthy lifestyle habits in adolescents. *Span J Psychol.*, 14(1), 282-92.
- Mulder, J., Ter Bogt, T.F., Raaijmakers, Q.A., Gabhainn, SN, Monshouwer K, Vollebergh WA. (2009) The soundtrack of substance use: music preference and adolescent smoking and drinking. *Subst Use Misuse.*, 44(4), 514-31.





# References

## Diversiory Approaches

---

- Mulder, J., Ter Bogt, T.F., Raaijmakers, Q.A., Nic Gabhainn, S., Monshouwer, K., Vollebergh, W.A. (2010) Is it the music? Peer substance use as a mediator of the link between music preferences and adolescent substance use. *J Adolesc.*, 33(3), 387-94.
- Osgood, D.W., Anderson, A.L., & Shaffer, J.N. (2005) Unstructured leisure in the after-school hours. In: Mahoney JL, Larson RW, Eccles JS, editors. *Organized activities as contexts of development: Extracurricular activities, after-school and community programs*. Lawrence Erlbaum; Mahwah, NJ: pp. 45–64.
- Patrick, M.E., Arbor, A., Maggs, J.L., & Osgood, D.W. (2010) LateNight Penn State Alcohol-Free Programming: Students Drink Less on Days They Participate. *Prev Sci.*, 11(2), 155–162.
- Peck, S.C., Vida, M., & Eccles, J.S. (2008) Adolescent pathways to adulthood drinking: sport activity involvement is not necessarily risky or protective. *Addiction.*, 103 Suppl 1, 69-83.
- Pelto, P.J., & Singh, R. (2010) Community street theatre as a tool for interventions on alcohol use and other behaviors related to HIV risks. *AIDS Behav.*, 14 Suppl 1, 147-57.
- Quek, L.H., White, A., Low, C., Brown, J., Dalton, N., Dow, D., & Connor, J.P. (2012) Good choices, great future: An applied theatre prevention program to reduce alcohol-related risky behaviours during Schoolies. *Drug Alcohol Rev.* Apr 22. doi: 10.1111/j.1465-3362.2012.00453.x. [Epub ahead of print]
- Rowland, B., Allen, F., & Toumbourou, J.W. (2011) Impact of alcohol harm reduction strategies in community sports clubs: Pilot evaluation of the good sports program. *Health Psychol.* 2011 Dec 12. [Epub ahead of print]
- Stewart, M., Reutter, L., Letourneau, N., & Makwarimba, E. (2009) A support intervention to promote health and coping among homeless youths. *Can J Nurs Res.*, 41(2), 55-77.
- Taliaferro, L.A., Rienzo, B.A., & Donovan, K.A. (2010) Relationships between youth sport participation and selected health risk behaviors from 1999 to 2007. *J Sch Health.*, 80(8), 399-410.
- Tebes, J.K., Feinn, R., Vanderploeg, J.J., Chinman, M.J., Shepard, J., Brabham, T., Genovese, M., & Connell, C. (2007) Impact of a positive youth development program in urban after-school settings on the prevention of adolescent substance use. *J Adolesc Health.*, 41(3), 239-47.
- Terry-McElrath, Y.M., & O'Malley, P.M. (2011) Substance use and exercise participation among young adults: parallel trajectories in a national cohort-sequential study. *Addiction.*, 106(10), 1855-65; discussion 1866-7.
- Terry-McElrath, Y.M., O'Malley, P.M., & Johnston, L.D. (2011) Exercise and Substance Use Among American Youth, 1991–2009 *Am J Prev Med.*, 40(5), 530–540.
- Tibbits, M.K., Caldwell, L.L., Smith, E.A., & Wegner, L. (2009) The Relation between Profiles of Leisure Activity Participation and Substance Use among South African Youth. *World Leis J.*, 51(3), 150-159.





# References

## Diversiory Approaches

---

Tobin, C.L., Fitzgerald, J.L., Livingstone, C., Thomson, L., Harper, T.A. (2012) Support for breaking the nexus between alcohol and community sports settings: Findings from the VicHealth Community Attitudes Survey in Australia. *Drug Alcohol Rev.*, 31(4), 413-21.

Weinstock, J. (2010) A Review of Exercise as Intervention for Sedentary Hazardous Drinking College Students: Rationale and Issues. *J Am Coll Health.*, 58(6), 539–544.

Weinstock, J., Barry, D., & Petry, N.M. (2008) Exercise-related activities are associated with positive outcome in contingency management treatment for substance use disorders. *Addict Behav.*, 33(8), 1072-5.

Wichstrøm, T., & Wichstrøm, L. (2009) Does sports participation during adolescence prevent later alcohol, tobacco and cannabis use? *Addiction.*, 104(1), 138-49.

## Brief interventions

---

Amaro, H., Reed, E., Rowe, E., Picci, J., Mantella, P., & Prado, G. (2010) Brief screening and intervention for alcohol and drug use in a college student health clinic: feasibility, implementation, and outcomes. *J Am Coll Health.*, Jan-Feb;58(4), 357-64.

Bear, J.S., Beadnell, B., Garrett, S.B., Hartzler, B., Wells, E. A., & Peterson, P.L. (2008) Adolescent change Language within a Brief Motivational Intervention and Substance Use Outcomes. *Psychol Addict Behav.*, December; 22(4), 570–575.

Becker S.J., Curry, J.F., Yang, C. (2011) Factors that influence trajectories of change in frequency of substance use and quality of life among adolescents receiving a brief intervention. *J Subst Abuse Treat.*, Oct;41(3), 294-304.

Bingham, C.R., Barretto, A.I., Walton, M.A., Bryant, C.M., Shope, J.T., & Raghunathan, T.E. (2010) Efficacy of a web-based, tailored, alcohol prevention/intervention program for college students: initial findings. *J Am Coll Health.*, Jan-Feb;58(4), 349-56.

Butler, L.H., & Correia, C.J. (2009) Brief alcohol intervention with college student drinkers: face-to-face versus computerized feedback. *Psychol Addict Behav.*, Mar;23(1), 163-7.

Capone, C. & Wood, M.D. (2009) Thinking about Drinking: Need for Cognition and Readiness to Change Moderate the Effects of Brief Alcohol Interventions. *Psychol Addict Behav.*, December; 23(4), 684–688.

Conrod, P.J., Castellanos-Ryan, N., & Strang, J. (2010) Brief, Personality-Targeted Coping Skills Interventions and Survival as a Non-Drug User Over a 2-Year Period During Adolescence. *Arch Gen Psychiatry.*, 67(1),85-93.

Carey, K.B., Carey, M.P., Henson, J.M., Maisto, S.A., & DeMartini, K.S. (2011) Brief alcohol interventions for mandated college students: comparison of face-to-face counseling and computer-delivered interventions. *Addiction.*, Mar;106(3), 528-37.





# References

## Brief interventions

---

- Carey, K.B., Henson, J.M., Carey, M.P., & Maisto, S.A. (2009) Computer versus in-person intervention for students violating campus alcohol policy. *J Consult Clin Psychol.*, Feb;77(1), 74–87.
- Daepfen, J.B., Bertholet, N., & Gaume, J. (2010) What process research tells us about brief intervention efficacy. *Drug Alcohol Rev.*, Nov;29(6), 612-6.
- Daepfen, J.B., Bertholet, N., Gaume, J., Fortini, C., Faouzi, M., & Gmel, G. (2011) Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. *Drug Alcohol Depend.*, Jan 1;113(1), 69-75.
- Dermen, K.H., & Thomas, S.N. (2011) Randomized controlled trial of brief interventions to reduce college students' drinking and risky sex. *Psychol Addict Behav.*, Dec;25(4), 583-94.
- Dhital, R., Whittlesea, C.M., Norman, I.J., & Milligan, P. (2010) Community pharmacy service users' views and perceptions of alcohol screening and brief intervention. *Drug Alcohol Rev.*, Nov;29(6), 596-602.
- Dimeff, L.A., Baer, J.S., Kivlahan, D.R., & Marlatt, G.A. (1999) Brief alcohol screening and intervention for college students (BASICS) New York, NY: The Guilford Press.
- Ekman, D.S., Andersson, A., Nilsen, P., Ståhlbrandt, H., Johansson, A.L., & Bendtsen, P. (2011) Electronic screening and brief intervention for risky drinking in Swedish university students--a randomized controlled trial. *Addict Behav.*, Jun;36(6), 654-9.
- Fromme, K., Corbin, W.R., & Kruse, M.I. (2008) Behavioral risks during the transition from high school to college. *Develop Psychol.*, 44, 1497–1504.
- Gaume, J., Gmel, G., Faouzi, M., Bertholet, N., & Daepfen, J.B. (2011) Is brief motivational intervention effective in reducing alcohol use among young men voluntarily receiving it? A randomized controlled trial. *Alcohol Clin Exp Res.*, Oct;35(10), 1822-30.
- Graham, L.J., & Mackinnon, D. (2010) Grasping the thistle: The role of alcohol brief interventions in Scottish alcohol policy. *Drug Alcohol Rev.*, Nov;29(6), 603-7. 252
- Grossbard, J.R., Mastroleo, N.R., Kilmer, J.R., Lee, C.M., Turrisi, R., Larimer, M.E., & Ray, A. (2010) Substance Use Patterns Among First-Year College Students: Secondary Effects of a Combined Alcohol Intervention. *J Subst Abuse Treat.*, December; 39(4), 384–390.
- Hagger, M.S., Lonsdale, A., & Chatzisarantis, N.L. (2011) Effectiveness of a brief intervention using mental simulations in reducing alcohol consumption in corporate employees. *Psychol Health Med.*, Aug;16(4), 375-92.
- Johnson, M., Jackson, R., Guillaume, L., Meier, P., & Goyder, E. (2011) Barriers and facilitators to implementing screening and brief intervention for alcohol misuse: a systematic review of qualitative evidence. *J Public Health (Oxf).*, Sep;33(3), 412-21.





# References

## Brief interventions

---

- Kazemi, D.M., Sun, L., Nies, M.A., Dmochowski, J., & Walford, S.M. (2011) Alcohol screening and brief interventions for college freshmen. *J Psychosoc Nurs Ment Health Serv.*, Jan;49(1), 35-42.
- Khadjesari, Z., Murray, E., Hewitt, C., Hartley, S., & Godfrey, C. (2011) Can stand-alone computer-based interventions reduce alcohol consumption? A systematic review. *Addiction.*, Feb;106(2):267-82.
- Kulesza, M., Apperson, M., Larimer, M.E., & Copeland, A.L. (2010) Brief alcohol intervention for college drinkers: how brief is it? *Addict Behav.*, Jul;35(7), 730-3.
- Mallett, K.A., Ray, A.E., Turrise, R., Belden, C., Bachrach, R.L., & Larimer, M.E. (2010) Age of drinking onset as a moderator of the efficacy of parent-based, brief motivational, and combined intervention approaches to reduce drinking and consequences among college students. *Alcohol Clin Exp Res.*, Jul;34(7):1154-61.
- McCaig, D., Fitzgerald, N., & Stewart, D. (2011) Provision of advice on alcohol use in community pharmacy: a cross-sectional survey of pharmacists' practice, knowledge, views and confidence. *Int J Pharm Pract.*, Jun;19(3), 171-8.
- McCambridge, J. & Kypri, K. (2011) Can Simply Answering Research Questions Change Behaviour? Systematic Review and Meta Analyses of Brief Alcohol Intervention. *Trials PLoS One.*, 6(10), e23748.
- McCambridge, J., Slym, R.L., & Strang, J. (2008) Randomized controlled trial of motivational interviewing compared with drug information and advice for early intervention among young cannabis users. *Addiction.*, Nov;103(11), 1809-18.
- Mulia, N., Schmidt, L.A., Ye, Y., & Greenfield, T.K. (2011) Preventing disparities in alcohol screening and brief intervention: the need to move beyond primary care. *Alcohol Clin Exp Res.*, Sep;35(9), 1557-60.
- National Institute on Alcohol Abuse and Alcoholism. NIH Publication (2002). A call to action: Changing the culture of drinking at U.S. colleges.
- Scheier, M.F., & Carver, C.S. (2003) Goals and confidence as self-regulatory elements underlying health and illness behavior. In: Cameron LD, Leventhal H, editors. *The self-regulation of health and illness behaviour*. Routledge; New York, NY: pp. 17–44.
- Sheridan, J., Wheeler, A., Ju-Hsing, Chen, L., Chen-Yun, Huang, A., Nga-Yee, Leung, I., Yow-Chyi Tien, K. (2008) Screening and brief interventions for alcohol: attitudes, knowledge and experience of community pharmacists in Auckland, New Zealand. *Drug Alcohol Rev.*, Jul;27(4), 380-7.
- Spijkerman, R., Roek, M.A.E., Vermulst, A., Lemmers, L., Huiberts, A., & Engels, R. (2010) Effectiveness of a Web-Based Brief Alcohol Intervention and Added Value of Normative Feedback in Reducing Underage Drinking: A Randomized Controlled Trial. *Med Internet Res.*, Oct-Dec; 12(5), e65.
- Suffoletto, B., Callaway, C., Kristan, J., Kraemer, K., & Clark, D.B. (2011) Text-Message-Based Drinking Assessments and Brief Interventions for Young Adults Discharged from the Emergency Department. *Alcohol Clin Exp Res.*, Dec 14.[Epub ahead of print]





# References

## Brief interventions

---

Turrisi, R., Jaccard, J., Taki, R., Dunnam, H., & Grimes, J. (2001) Examination of the short-term efficacy of a parent intervention to reduce college student drinking tendencies. *Psychology of Addictive Behaviors*, 15(4), 366–372.

Vaca, F.E., Winn, D., Anderson, C.L., Kim, D., & Arcila, M. (2011) Six-month follow-up of computerized alcohol screening, brief intervention, and referral to treatment in the emergency department. *Subst Abus.*, Jul;32(3), 144-52.

Voogt, C.V., Poelen, E.A.P., Kleinjan, M., Lemmers, L., & Engels, R. (2011) Targeting young drinkers online: the effectiveness of a web-based brief alcohol intervention in reducing heavy drinking among college students: study protocol of a two-arm parallel group randomized controlled trial. *BMC Public Health*, 11, 231.

Werch, C. (2007) The Behavior-Image Model: A paradigm for integrating prevention and health promotion in brief interventions. *Health Ed Research*, 22(5), 677–690.

Werch, C.E., Bian, H., Diclemente, C.C., Moore, M.J., Thombs, D., Ames, S.C., Huang, I.C., & Pokorny, S. (2010) A brief image-based prevention intervention for adolescents. *Psychol Addict Behav.*, Mar;24(1), 170-5.

Wilson, G. B., Heather, N., 2 & Kaner, E. (2011) New Developments in Brief Interventions to Treat Problem Drinking in Nonspecialty Health Care Settings. *Curr Psychiatry Rep.*, October; 13(5), 422–429.

Winters, K.C., Fahnhorst, T., Botzet, A., Lee, S., & Lalone, B. (2011) Brief intervention for drug-abusing adolescents in a school setting: Outcomes and mediating factors. *J Subst Abuse Treat.* Oct 13. [Epub ahead of print]

Wood, M.D., Fairlie, A.M., Fernandez, A.C., Borsari, B., Capone, C., Laforge, R., & Carmona-Barros, R. (2010) Brief Motivational and Parent Interventions For College Students: A Randomized Factorial Study. *J Consult Clin Psychol.*, June; 78(3), 349–361.

World Health Organization: Global Health Risks. WHO: Geneva; 2009.

## Education

---

Ainsworth, M.D.S., Blehar, M.C., Waters, E., Wall, S. (1978) *Patterns of attachment: A psychological study of the strange situation*. Hillsdale, NJ: Lawrence Erlbaum.

Anthony, J. (2003) Selected issues pertinent to epidemiology of adolescent drug use & dependence. Talking Points Prepared for the Annenberg Meeting; 1st August 2003; Philadelphia, PA.

Bandura, A. (1977). *Social Learning Theory*. New York: General Learning Press.





# References

## Education

---

Bonell, C.P., Sorhaindo, A.M., Allen, E.E., Strange, V.J., Wiggins, M., Fletcher, A., Oakley, A.R., Bond, L.M., Flay, B.R., Patton, G.C., & Rhodes, T. (2010) Pilot multimethod trial of a school-ethos intervention to reduce substance use: building hypotheses about upstream pathways to prevention. *J Adolesc Health.*, Dec;47(6), 555-63.

Caria, M.P., Faggiano, F., Bellocco, R., Galanti, M.R.; EU-Dap Study Group. (2011) Effects of a school-based prevention program on European adolescents' patterns of alcohol use. *J Adolesc Health.*, Feb;48(2), 182-8.

Caria, M.P., Faggiano, F., Bellocco, R., & Galanti, M.R. (2011) The influence of socioeconomic environment on the effectiveness of alcohol prevention among European students: a cluster randomized controlled trial. *BMC Public Health*, 11, 312.

Clark, H.K., Ringwalt, C.L., Hanley, S., Shamblen, S.R., Flewelling, R.L., & Hano, M.C. (2010) Project SUCCESS' effects on the substance use of alternative high school students. *Addict Behav.*, Mar;35(3), 209-17.

Clark, H.K., Ringwalt, C.L., Shamblen, S.R., & Hanley, S.M. (2011) Project success' effects on substance use-related attitudes and behaviors: a randomized controlled trial in alternative high schools. *J Drug Educ.*, 41(1), 17-44.

Clark, H.K., Ringwalt, C.L., Shamblen, S.R., Hanley, S.M., & Flewelling, R.L. (2011) Are substance use prevention programs more effective in schools making adequate yearly progress? A study of Project ALERT. *J Drug Educ.*, 41(3), 271-88.

Cremeens, J.L., Usdan, S.L., Umstatted, M.R., Talbott, L.L., Turner, L., & Perko, M. (2011) Challenges and recommendations to enforcement of alcohol policies on college campuses: an administrator's perspective. *J Am Coll Health.*, Apr;59(5), 427-30.

DeGarmo, D.S., Eddy, J.M., Reid, J.B., & Fetrow, R.A. (2009) Evaluating Mediators of the Impact of the Linking the Interests of Families and Teachers (LIFT) Multimodal Preventive Intervention on Substance Use Initiation and Growth across Adolescence. *Prev Sci.*, September; 10(3), 208–220.

Dolan, L.J., Kellam, S.G., Brown, C.H., Werthamer-Larsson, L., Rebok, G.W., & Mayer LS, et al. (1993) The short-term impact of two classroom-based preventive interventions on aggressive and shy behaviors and poor achievement. *J Applied Developmental Psychology*, 14, 317–345.

Eddy, J.M., Reid, J.B., Fetrow, R.A. (2000) An elementary-school based prevention program targeting modifiable antecedents of youth delinquency and violence: Linking the Interests of Families and Teachers (LIFT) *J Emot Beh Disorders*, 8,165–176.

Faggiano, F., Vigna-Taglianti, F.D., Versino, E., Zambon, A., Borraccino, A. & Lemma P. (2008) School-based prevention for illicit drugs use: a systematic review. *The Prev Med.*, May;46(5), 385-96.





# References

## Education

---

Faggiano, F., Vigna-Taglianti, F., Burkhart, G., Bohrn, K., Cuomo, L., Gregori, D., Panella, M., Scatigna, M., Siliquini, R., Varona, L., van der Kreeft, P., Vassara, M., Wiborg, G., Galanti, M.R., EU-Dap Study Group. (2010) The effectiveness of a school-based substance abuse prevention program: 18-month follow-up of the EU-Dap cluster randomized controlled trial. *Drug Alcohol Depend*, Apr 1;108(1-2), 56-64.

Fletcher, A., Bonell, C., Hargreaves, J. (2008) School effects on young people's drug use: a systematic review of intervention and observational studies. *J Adolesc Health*, Mar;42(3), 209-20.

Kimber, B., & Sandell, R. (2009) Prevention of substance use among adolescents through social and emotional training in school: a latent-class analysis of a five-year intervention in Sweden. *Adolesc.*, Dec;32(6), 1403-13.

Haleem, D.M., & Winters, J. (2011) A sociodrama: an innovative program engaging college students to learn and self-reflect about alcohol use. *J Child Adolesc Psychiatr Nurs.*, Aug;24(3), 153-60.

Hansen, W., & Dusenbury, L. (2004) All Stars Plus: A competence and motivation enhancement approach to prevention. *Health Education.*, 104(6), 371–381.

Huber, M.J., Workman, J., Ford, J.A, Moore, D, & Mayer T. (2009) Evaluating the prevention through alternative learning styles program. *J Drug Educ.*, 9(3), 239-59.

Hodder, R.K., Daly, J., Freund, M., Bowman, J., Hazell, T., & Wiggers, J., (2011) A school-based resilience intervention to decrease tobacco, alcohol and marijuana use in high school students. *BMC Public Health*, 11, 722.

Jessor, R., & Jessor, S. L. (1977). *Problem behavior and psychosocial development: A longitudinal study of youth*. New York: Academic Press.

Kovach, C.H., Ringwalt, C.L., Hanley, S., & Shamblen, S.R. (2010) Project ALERT's effects on adolescents' prodrug beliefs: a replication and extension study. *Health Educ Behav.*, Jun;37(3), 357-76.

Lennox, R.D., & Cecchini, M.A. (2008) The NARCONON™ drug education curriculum for high school students: A non-randomized, controlled prevention trial. *Subst Abuse Treat Prev Policy.*, Mar 19;3, 8.

Li, Y., Zhang, W., Liu, J., Arbeit, M.R., Schwartz, S.J., Bowers, E.P., & Lerner, R.M. (2011) The role of school engagement in preventing adolescent delinquency and substance use: A survival analysis. *J Adolesc.*, Dec;34(6), 1181-92.

Morgenstern, M., Wiborg, G., Isensee, B., & Hanewinkel, R. (2009) School-based alcohol education: results of a cluster-randomized controlled trial. *Addiction.*, Mar;104(3), 402-12.

Newton, N.C., Vogl, L.E., Teesson, M., & Andrews, G. (2009) CLIMATE Schools: alcohol module: cross-validation of a school-based prevention programme for alcohol misuse. *Aust N Z J Psychiatry.*, Mar;43(3), 201-7.

Newton, N.C., Teesson, M., Vogl, L.E., & Andrews, G. (2010) Internet-based prevention for alcohol and cannabis use: final results of the Climate Schools course. *Addiction.*, Apr;105(4), 749-59.





# References

## Education

---

O’Leary-Barrett, M., Mackie, C.J., Castellanos-Ryan, N., Al-Khudhairy, N., & Conrod, P.J. (2010) Personality-targeted interventions delay uptake of drinking and decrease risk of alcohol-related problems when delivered by teachers. *J Am Acad Child Adolesc Psychiatry.*, Sep;49(9), 954-963.

O’Neill, J.M., Clark, J.K., & Jones, J.A. (2011) Promoting mental health and preventing substance abuse and violence in elementary students: a randomized control study of the Michigan Model for Health. *J Sch Health.*, Jun;81(6), 320-30.

Paglia, A., & Room, R. (1999) Preventing substance use problems among youth: A literature review and recommendations. *J Prim Prev.*, 20(1), 3–50.

Palfai, T.P., Zisserson, & R., Saitz, R. (2011) Using personalized feedback to reduce alcohol use among hazardous drinking college students: the moderating effect of alcohol-related negative consequences. *Addict Behav.*, May;36(5), 539-42.

Paschall, M.J., Antin, T., Ringwalt, C.L., & Saltz, R.F. (2011) Evaluation of an Internet-based alcohol misuse prevention course for college freshmen: findings of a randomized multi-campus trial. *Am J Prev Med.*, Sep;41(3), 300-8.

Resnicow, K., Reddy, S.P., James, S., Gabebodeen Omardien, R., Kambaran, N.S., Langner, H.G., Vaughan, R.D., Cross, D., Hamilton, G., & Nichols, T. (2008) Comparison of two school-based smoking prevention programs among South African high school students: results of a randomized trial. *Ann Behav Med.*, Dec;36(3), 231-43.

Ringwalt, C., Pankratz, M., Gottfredson, N., Jackson-Newsom, J., Dusenbury, L., Giles, S., Currey, D., & Hansen, B. (2009) The effects of student’s curriculum engagement, attitudes toward their teachers, and perception of their teachers’ skills on school-based prevention curriculum outcomes. *J Drug Educ.*, 39(3), 223–237.

Ringwalt, C.L., Clark, H.K., Hanley, S., Shamblen, S.R., & Flewelling, R.L. (2009) Project ALERT: a cluster randomized trial. *Arch Pediatr Adolesc Med.*, Jul;163(7), 625-32.

Ringwalt, C.L., Clark, H.K., Hanley, S., Shamblen, R., & Flewelling, R.L. (2010) The effects of Project ALERT one year past curriculum completion. *Prev Sci.*, Jun;11(2),172-84.

Ringwalt, C.L., Paschall, M.J., & Gitelman, A.M. (2011) Alcohol prevention strategies on college campuses and student alcohol abuse and related problems. *Drug Educ.*, 41(1), 99-118.

Spoth, R.L., Randall, G.K., Trudeau, L., Shin, C., & Redmond, C. (2008) Substance use outcomes 5½ years past baseline for partnership-based, family-school preventive interventions. *Drug Alcohol Depend.*, July 1; 96(1-2), 57–68.

Stephens, P.C., Sloboda, Z., Stephens, R.C., Teasdale, B., Grey, S.F., Hawthorne, R.D., & Williams, J. (2009) Universal school-based substance abuse prevention programs: Modeling targeted mediators and outcomes for adolescent cigarette, alcohol and marijuana use. *Drug Alcohol Depend.* Jun 1;102(1-3), 19-29.





# References

## Education

---

Stewart-Brown, S. (2006) What is the evidence on school health promotion in improving health or preventing disease and, specifically, what is the effectiveness of the health promoting schools approach? Copenhagen: WHO Regional Office for Europe (Health Evidence Network report).

Stigler, M.H., Neusel, E., & Perry, C.L. (2011) School-based programs to prevent and reduce alcohol use among youth. *Alcohol Res Health.*, 34(2), 157-62.

Vigna-Taglianti, F., Vadrucchi, S., Faggiano, F., Burkhart, G., Siliquini, R., Galanti, M.R.; Eu-Dap Study Group. (2009) Is universal prevention against youths' substance misuse really universal? Gender-specific effects in the EU-Dap school-based prevention trial. *J Epidemiol Community Health.*, Sep;63(9), 722-8.

Vogl, L., Teesson, M., Andrews, G., Bird, K., Steadman, B., & Dillon, P. (2009) A computerized harm minimization prevention program for alcohol misuse and related harms: randomized controlled trial. *Addiction.*, Apr;104(4), 564-75.

Wenzel, V., Weichold, K., & Silbereisen, R.K. (2009) The life skills program IPSY: positive influences on school bonding and prevention of substance misuse. *J Adolesc.*, Dec;32(6), 1391-401.

Wolfe, D.A., Crooks, C.V., Chiodo, D., Hughes, R., & Ellis, W. (2011) Observations of Adolescent Peer Resistance Skills Following a Classroom-Based Healthy Relationship Program: A Post-intervention Comparison. *Prev Sci.* Nov 5.

## Training and Support

---

Aalto, M., Seppä, K., Mattila, P., Mustonen, H., Ruuth, K., Hyvärinen, H., Pulkkinen, H., Alho, H., Sillanauke, P. (2001) Brief intervention for male heavy drinkers in routine general practice: a three-year randomized controlled study. *Alcohol*, May-Jun;36(3), 224-30.

Cleary, M., Hunt, G.E., Matheson, S., & Walter, G. (2009) Views of Australian mental health stakeholders on clients' problematic drug and alcohol use. *Drug Alcohol Rev.*, Mar;28(2), 122-8.

Davoudi, M., & Rawson, R.A. (2010) Screening, brief intervention, and referral to treatment (SBIRT) initiatives in California: notable trends, challenges, and recommendations. *J Psychoactive Drugs.*, Sep;Suppl 6, 239-48.

Derzon, J.H., Sale, E., Springer, J.F., & Brounstein, P. (2005) Estimating intervention effectiveness: Synthetic project of field evaluation results. *Journal of Primary Prevention*, 26, 321–343.

Durlak, J.A., & DuPre, E.P. (2008) Implementation matters: A review of research on the influence of implementation on program outcomes and the factors affecting implementation. *Am J Community Psychol*, 41, 327–350.

Field, C. A., Cochran, G., Foulkrod, K., Brown, C. (2011) Trauma Healthcare Providers' knowledge of alcohol abuse. *J Trauma*, June; 70(6), 1437–1443.





# References

## Training and Support

---

- Fitzgerald, N., Watson, H., McCaig, D., & Stewart, D. (2009) Developing and evaluating training for community pharmacists to deliver interventions on alcohol issues. *Pharm World Sci.*, Apr;31(2), 149-53.
- Ford, R., Bammer, G., & Becker, N. (2008) The determinants of nurses' therapeutic attitude to patients who use illicit drugs and implications for workforce development. *J Clin Nurs.*, Sep;17(18), 2452-62.
- Ford, R., Bammer, G., & Becker, N. (2009) Improving nurses' therapeutic attitude to patients who use illicit drugs: workplace drug and alcohol education is not enough. *Int J Nurs Pract.*, Apr;15(2), 112-8.
- Freeman, T., Roche, A.M., Williamson, P., & Pidd, K. (2011) Hazardous alcohol use interventions with emergency patients: Self-reported practices of nurses, and predictors of behaviour. *Emerg Med Australas.*, Aug;23(4), 479-89.
- Gilchrist, G., Moskalewicz, J., Slezakova, S., Okruhlica, L., Torrens, M., Vajd, R., & Baldacchino, A. (2011) Staff regard towards working with substance users: a European multi-centre study. *Addiction.*, Jun;106(6), 1114-25.
- Holmqvist, M., Hermansson, U., & Nilsen, P. (2008) Towards increased alcohol intervention activity in Swedish occupational health services. *Int J Occup Med Environ Health.*, 21(2), 179-87.
- Howard, V., & Holmshaw, J. (2010) Inpatient staff perceptions in providing care to individuals with co-occurring mental health problems and illicit substance use. *J Psychiatr Ment Health Nurs.*, Dec;17(10), 862-72.
- Lacey, J. (2009) Alcohol brief interventions: exploring perceptions and training needs. *Community Pract.*, Jun;82(6), 30-3.
- Neale, J., Tompkins, C., Sheard, L. (2008) Barriers to accessing generic health and social care services: a qualitative study of injecting drug users. *Health Soc Care Community.*, Mar;16(2), 147-54.
- Nehlin, C., Fredriksson, A., Grönbladh, L., & Jansson, L. (2011) Three hours of training improve psychiatric staff's self-perceived knowledge and attitudes toward problem-drinking patients. *Drug Alcohol Rev.*, Nov 3. [Epub ahead of print]
- Nilsen, P., Holmqvist, M., & Hermansson, U. (2011) Alcohol prevention in Swedish occupational health care. *Occup Med (Lond).*, Oct;61(7), 472-9.
- Roche, A.M., Pidd, K., & Freeman, T. (2009) Achieving professional practice change: from training to workforce development. *Drug Alcohol Rev.*, Sep;28(5), 550-7.
- Rohrbach, L.A., Gunning, M., Sun, P., & Sussman, S (2010a). The Project Towards No Drug Abuse (TND) dissemination trial: implementation fidelity and immediate outcomes. *Prev Sci.*,11,77–88.
- Rohrbach, L.A., Sun, P & Sussman, S. (2010b) One-year follow-up evaluation of the Project Towards No Drug Abuse (TND) dissemination trial. *Prev Med.*, 51(3-4), 313–319.





# References

## Training and Support

---

Shellenberger, S., Seale, J.P., Harris, D.L., Johnson, J.A., Dodrill, C.L., & Velasquez, M.M. (2009) Applying team-based learning in primary care residency programs to increase patient alcohol screenings and brief interventions. *Acad Med.*, Mar;84(3), 340-6.

Sheridan, J., Barnard, M., & Webster, S. (2011) Influences on the provision of drug services in England: the experiences and views of front line treatment workers. *Health Soc Care Community.*, 19(4):403-11.

Sussman, S., Dent, C.W., & Stacy, A.W. Project Towards No Drug Abuse: A review of the findings and future directions. *Am J Health Behav.*, 26 (5), 354–365.

Toomey, T.L., Erickson, D.J., Lenk, K.M., Kilian, G.R., Perry, C.L., & Wagenaar, A.C. (2008) A randomized trial to evaluate a management training program to prevent illegal alcohol sales. *Addiction.*, 103(3), 405-13.

Walther, W, Montse, B., Mondon, S., Gemma, N., & Antoni, G. (2008) Teaching hospital staff about hazardous drinking: The effect of a single intervention. *Alcohol and Alcoholism*, 43 (1), 51-52.

Wolff, L.S., El Ayadi, A.M., Lyons, N.J., Herr-Zaya, K., Noll, D., Perfas, F., & Rots, G. (2011) Improving the alcohol retail environment to reduce youth access: a randomized community trial of a best practices toolkit intervention. *J Community Health.*, 36(3), 357-66.

## Parenting Programmes

---

Abar, C.C. (2011) Examining the relationship between parenting types and patterns of student alcohol-related behavior during the transition to college. *Psychol Addict Behav.*, Aug 15. [Epub ahead of print]

Abar, C.C., Abar, B., & Turrisi, R. (2009) The Impact of Parental Modeling and Permissibility on Alcohol Use and Experienced Negative Drinking Consequences in College. *Addict Behav.*, 34(6-7), 542–547.

Abar, C.C., & Turrisi, R. (2008) How important are parents during the college years? A longitudinal perspective of indirect influences parents yield on their college teens' alcohol use. *Addict Behav.*, October; 33(10), 1360–1368.

Arria, A.M., Kuhn, V., Caldeira, K.M., O'Grady, K.E., Vincent, K.B., & Wish, E.D. (2008) High school drinking mediates the relationship between parental monitoring and college drinking: A longitudinal analysis. *Subst Abuse Treat Prev Policy*, 3, 6.

Bauman, K.E., Foshee, V.A., Ennett, ST. et al (2001). Family Matters: a family-directed program designed to prevent adolescent tobacco and alcohol use. *Health Promot Pract*, 2, 81-96.

Beatty, S.E., Cross, D.S., & Shaw, T.M. (2008) The impact of a parent-directed intervention on parent-child communication about tobacco and alcohol. *Drug Alcohol Rev.*, Nov;27(6), 591-601.

Carbines, R., Wyatt, T., Roberts, C. (2007) Review of the Effectiveness of the Parents Adults Kids Together (PAKT) Program: Draft Final Report. Erebus International.





# References

## Parenting Programmes

---

- Choquet, M., Hassler, C., Morin, D., Falissard, B., & Chau, N. (2008) Perceived parenting styles and tobacco, alcohol and cannabis use among french adolescents: Gender and family structure differentials. *Alcohol and Alcoholism*, 43 (1), 73-80.
- Donovan, E., Wood, M., Frayjo, K., Black, R.A., & Surette, D.A. (2012) A randomized, controlled trial to test the efficacy of an online, parent-based intervention for reducing the risks associated with college-student alcohol use *Addict Behav.*, Jan;37(1), 25-35.
- Duncan, L.G., Coatsworth, J.D., & Greenberg, M.T. (2009) Pilot Study to Gauge Acceptability of a Mindfulness-Based, Family-Focused Preventive Intervention *J Prim Prev.*, September; 30(5), 605–618.
- Gossrau-Breen, D., Kuntsche, E., Gmel, G. (2010) My older sibling was drunk - younger siblings' drunkenness in relation to parental monitoring and the parent-adolescent relationship. *J Adolesc.* , Oct;33(5), 643-52.
- Hawkins, J.D., & Catalano, R.F. (1988) *Preparing for the Drug Free Years: Family guide*. South Deerfield, MA: Channing Bete.
- Ichiyama, M.A., Fairlie, A.M., Wood, M.D., Turrisi, R., Francis, D.P., Ray, A.E., & Stanger, L.A. (2009) A Randomized Trial of a Parent-Based Intervention on Drinking Behavior Among Incoming College Freshmen. *J Stud Alcohol Drugs Suppl.*, July; (Supplement no. 16), 67–76.
- Kelly, A.B., O'Flaherty, M., Toumbourou, J.W., Homel, R., Patton, G.C., White, A., & Williams J. (2011) The Influence of Families on Early Adolescent School Connectedness: Evidence That This Association Varies with Adolescent Involvement in Peer Drinking Networks. *J Abnorm Child Psychol.*, Oct 12. [Epub ahead of print]
- Kumpfer, K. L., & Alvarado, R. (2003). Family-strengthening approaches for the prevention of youth problem behaviors. *American Psychologist*, 58, 457–465.
- Law, J., Plunkett, C., Taylor, J., & Gunning, M. (2009) Developing policy in the provision of parenting programmes: integrating a review of reviews with the perspectives of both parents and professionals. *Child Care Health Dev.*, May;35(3), 302-12.
- Mason, W.A., Kosterman, R., Haggerty, K.P., Hawkins, J.D., Redmond, C., Spoth, R.L., & Shine, C. (2009) Gender Moderation and Social Developmental Mediation of the Effect of A Family-Focused Substance Use Preventive Intervention on Young Adult Alcohol Abuse. *Addict Behav.*, Jun-Jul; 34(6-7), 599–605.
- Miller, B.A., Aalborg, A.E., Byrnes, H.F., Bauman, K., & Spoth, R. (2011) Parent and child characteristics related to adolescent alcohol and drug prevention program chosen. *Health Educ Res.*, Dec 8. [Epub ahead of print]
- Moore, G.F., Rothwell, H., & Segrott, J. (2010) An exploratory study of the relationship between parental attitudes and behaviour and young people's consumption of alcohol. *Subst Abuse Treat Prev Policy.*, Apr 22;5, 6.





# References

## Parenting Programmes

---

- National Centre on Addiction and Substance Abuse at Columbia University (CASA Columbia) (2011). *The Importance of Family Dinners V11*. New York
- O'Donnell, L., Stueve, A., Duran, R., Myint-U, A., Agronick, G., Doval, A.S., & Wilson-Simmons, R. (2008) Parenting Practices, Parents' Underestimation of Daughters' Risks and Alcohol and Sexual Behaviors of Urban Girls. *J Adolesc Health*, May; 42(5), 496–502.
- Okulicz-Kozaryn, K. (2010) Gender and family differences in adolescent's heavy alcohol use: the power-control theory perspective. *Health Educ Res.*, October; 25(5), 780–791.
- Pettersson, C., Lindén-Boström, M., & Eriksson, C. (2009) Reasons for non-participation in a parental program concerning underage drinking: a mixed-method study. *BMC Public Health*, 9, 478.
- Piko, B.F., & Kovács, E. (2010) Do parents and school matter? Protective factors for adolescent substance use. *Addict Behav.*, Jan;35(1), 53-6.
- Roberts, R., Beckwith, M., & Watts, D. (2010) Mothers' intentions to introduce their adolescent to alcohol use: does mothers' alcohol use effect intentions? *Aust N Z J Public Health.*, Jun;34(3), 281-7.
- Rosenquist, J.N., Murabito, J., Fowler, J.H., & Christakis, N.A. (2010) The spread of alcohol consumption behavior in a large social network. *Ann Intern Med.*, Apr 6;152(7), 426-33.
- Rothwell, H., & Segrott, J. (2011) Preventing alcohol misuse in young people aged 9-11 years through promoting family communication: an exploratory evaluation of the Kids, Adults Together (KAT) Programme, *BMC Public Health*, 11, 810.
- Ryan, S.M., Jorm, A.F., & Lubman, D.I. (2010) Parenting factors associated with reduced adolescent alcohol use: a systematic review of longitudinal studies. *Aust N Z J Psychiatry.*, Sep;44(9), 774-83.
- Ryan, S.M., Jorm, A.F., Kelly, C.M., Hart, L.M., Morgan, A.J., 1 & Lubman, D.I. (2011) Parenting strategies for reducing adolescent alcohol use: a Delphi consensus study, *BMC Public Health.*, 11, 13.
- Scottish Schools Adolescent Lifestyles and Substance Use Survey (SALSUS) National Report, 2010. NHS National Services Scotland
- Small, M.L., Morgan, N., Abar, C., & Maggs, J.L. (2011) Protective effects of parent-college student communication during the first semester of college. *J Am Coll Health.*, Jun;59(6), 547-54.
- Spijkerman, R., van den Eijnden, R.J., & Huiberts, A. (2008) Socioeconomic differences in alcohol-specific parenting practices and adolescents' drinking patterns. *Eur Addict Res.*, 14(1), 26-37.
- Spoth, R., Redmond, C., & Lepper, H. (1999) Alcohol initiation outcomes of universal family-focused preventive interventions: one- and two-year follow-ups of a controlled study. *J Stud Alcohol Suppl*, 13, 103-11
- Teten, T. A. & Noonan, R.K. (2011) Associations Between Three Characteristics of Parent-Youth Relationships, Youth Substance Use, and Dating Attitudes. *Health Promot Pract.*, Nov 16. [Epub ahead of print]





# References

## Parenting Programmes

---

- Tucker, J.S., Ellickson, P.L., & Klein, D.J. (2008) Growing up in a permissive household: what deters at-risk adolescents from heavy drinking? *J Stud Alcohol Drugs.*, Jul;69(4), 528-34.
- Turrisi, R., Jaccard, J., Taki, R., Dunnam, H., & Grimes, J. (2001) Examination of the short-term efficacy of a parent intervention to reduce college student drinking tendencies. *Psychol. Addict. Behav.*, 15, 366–372.
- Turrisi, R. & Ray, A.E. (2010) Sustained parenting and college drinking in first-year students. *Dev Psychobiol.*, Apr;52(3), 286-94.
- van den Eijnden, R., Mheen, D., Vet, R., & Vermulst, A. (2011) Alcohol-specific parenting and adolescents' alcohol-related problems: the interacting role of alcohol availability at home and parental rules. *J Stud Alcohol Drugs.*, May;72(3), 408-17.
- Velleman, R. (2009). Alcohol prevention programmes: A review of the literature for the Joseph Rowntree Foundation (part two) Joseph Rowntree Foundation.
- Velleman, R., Templeton, L.J., & Copello, A.G. (2005) The role of the family in preventing and intervening with substance use and misuse: a comprehensive review of family interventions, with a focus on young people. *Drug and Alcohol Review*, 24, 93–109.
- Walls, T.A., Fairlie, A.M., Wood, M.D. (2009) Parents do matter: a longitudinal two-part mixed model of early college alcohol participation and intensity. *J Stud Alcohol Drugs.*, Nov;70(6), 908-18.
- Werch, C.E., Moore, M.J., DiClemente, C.C., Bledsoe, R., & Jobli, E. (2005) A multi-health behavior intervention integrating physical activity and substance use prevention for adolescents. *Prevention Science*, 6(3), 213–226.
- Werch, C.E., Moore, M.J., & DiClemente, C.C. (2008) Brief Image-based Health Behavior Messages for Adolescents and Their Parents. *J Child Adolesc Subst Abuse*, August; 17(4), 19–40.
- Yap, M., Jorm, A., Bazley, R., Kelly, C., Ryan, S., & Lubman, D (2011). Web-based parenting program to prevent adolescent alcohol misuse: rationale and development. *Australas Psychiatry.*, Aug;19(4), 339-44.
- Zucker, R.A. (2008) Anticipating problem alcohol use developmentally from childhood into middle adulthood: What have we learned? *Addiction*, May; 103(Suppl 1), 100–108.

## Social Marketing

---

- Alcohol Learning Centre (2010) <http://www.alcohollearningcentre.org.uk/Topics/Browse/SocialMarketing/toolkit2010/executiveSummary/>
- Ahn, H.Y., Wu, L., Kelly, S., & Haley, E. (2011) A qualitative study of college student responses to conflicting messages in advertising: anti-binge drinking public service announcements versus wine promotion health messages. *Int J Public Health.*, 56(3), 271-9.





# References

## Social Marketing

---

- Arbour-Nicitopoulos, K.P., Kwan, M.Y., Lowe, D., Taman, S., & Faulkner, G.E. (2011) Social norms of alcohol, smoking, and marijuana use within a Canadian university setting. *J Am Coll Health.*, 59(3):191-6.
- Berkowitz, A.D. (2004) The social norms approach: Theory, research, and annotated bibliography. Retrieved from [http://www.alanberkowitz.com/articles/social\\_norms.pdf](http://www.alanberkowitz.com/articles/social_norms.pdf).
- Bertholet, N., Gaume, J., Faouzi, M., Daeppen, J., & Gmel, G. (2011) Perception of the Amount of Drinking by Others in A Sample of 20-Year-Old Men: The More I Think You Drink, The More I Drink Alcohol and Alcoholism, 46 (1), 83-87.
- Bewick, B.M., Trusler, K., Mulhern, B., Barkham, M., & Hill, A.J. (2008) The feasibility and effectiveness of a web-based personalised feedback and social norms alcohol intervention in UK university students: a randomised control trial. *Addict Behav.*, 33(9), 1192-8.
- Bryant, C.A., Mayer, A.B., McDermott, R.J., Panzera, A.D., & Trainor, J.K. (2011) Social marketing: an underutilized tool for promoting adolescent health. *Adolesc Med State Art Rev.*, 22(3), 387-401.
- Burkhart, G. (2011) Environmental drug prevention in the EU. Why is it so unpopular? *Adicciones.*, 23(2), 87-100.
- Carpenter, C.S., & Pechmann, C. (2011) Exposure to the Above the Influence antidrug advertisements and adolescent marijuana use in the United States, 2006-2008. *Am J Public Health.*, 101(5), 948-54.
- Carpenter, R., Fishlock, A., Mulroy, A., Oxley, B., Russell, K., Salter, C., Williams, N., & Heffernan, C. (2008) 'Unit 1421': an exploratory study into female students' attitudes and behaviours towards binge drinking at Leeds University. *J Public Health*, 30 (1), 8-13.
- Cismary, M., Lavack, A.M., & Markewich, E. (2008). Alcohol consumption among young consumers: a review and recommendations. *Young Consumers: Insight and Ideas for Responsible Marketers*, 9, (4), 282-296
- Comello, M.L., & Slater, M.D. (2011) Effects of adverts from a drug and alcohol prevention campaign on willingness to engage in alcohol-related risky behaviors. *J Health Psychol.*, 16(8), 1268-76.
- DeJong, W., Schneider, S.K., Towvim, L.G., Murphy, M.J., Doerr, E.E., Simonsen, N.R., Mason, K.E., Scribner, R.A. (2006). A multisite randomized trial of social norms marketing campaigns to reduce college student drinking. *Journal of Studies on Alcohol*, 67 (6), 868-879.
- DeJong, W., Schneider, S.K., Towvim, L.G., Murphy, M.J., Doerr, E.E., Simonsen, N.R., Mason, K.E., & Scribner, R.A. (2009). A multisite randomized trial of social norms marketing campaigns to reduce college student drinking: a replication failure. *Journal of Studies on Alcohol*, 30 (2), 127-140
- Donovan, R., & Henley, N. (2003). *Social marketing: Principles and Practice*. Melbourne, Australia: IP Communications
- Egan, K.G., & Moreno, M.A. (2011) Alcohol References on Undergraduate Males' Facebook Profiles *Am J Mens Health.*, 5(5), 413-420.





# References

## Social Marketing

---

- Glazer, E. Smith, Atkin, C., & Hamel, L. (2010) The Effects of Sensation Seeking, Misperceptions of Peer Consumption, and Believability of Social Norms Messages on Alcohol Consumption. *J of Health Comm*, 15 (8), 825-839.
- Gold, G.J., & Nguyen, A.T. (2009) Comparing entering freshmen's perceptions of campus marijuana and alcohol use to reported use. *J Drug Educ.*, 39(2), 133-48.
- Gosselt, J.F., Van Hoof, J.J., Baas, N., & De Jong, M.D. (2011) Effects of a national information campaign on compliance with age restrictions for alcohol sales. *J Adolesc Health.*, 49(1), 97-8.
- Grier, S.A., & Kumanyika, S. (2010) Targeted marketing and public health. *Annu Rev Public Health.*, 31, 349-69.
- Haug, S., Ulbricht, S., Hanke, M., Meyer, C., & John, U. (2011) Overestimation of drinking norms and its association with alcohol consumption in apprentices. *Alcohol Alcohol.*, 46(2), 204-9.
- Hinduja, S., & Patchin, J.W. (2008) Personal information of adolescents on the Internet: A quantitative content analysis of MySpace. *Journal of Adolescence.*, 31, 125–146.
- Hornik, R., Jacobsohn, L., Orwin R., Piesse, A. & Kalton, G. PhD (2008) Effects of the National Youth Anti-Drug Media Campaign on Youths *Am J Public Health.*, 98(12), 2229–2236.
- Killos, L.F., Hancock, L.C., Wattenmaker McGann, A., & Keller A.E. (2010) Do “clicker” educational sessions enhance the effectiveness of a social norms marketing campaign? *Journal of the American College of Health*, 59 (3), 228-230
- Iwamoto, D.K., Cheng, A., Lee, C.S., Takamatsu, S., & Gordon, D. (2011) “Man-ing” up and getting drunk: the role of masculine norms, alcohol intoxication and alcohol-related problems among college men. *Addict Behav.*, 36(9), 906-11.
- LaBrie, J.W, Hummer, J.F., Huchting, K.K., & Neighbors C. (2009) A brief live interactive normative group intervention using wireless keypads to reduce drinking and alcohol consequences in college student athletes. *Drug Alcohol Rev.*, 28(1), 40-7.
- LaBrie, J.W., Hummer, J.F., Grant, S., & Lac, A. (2010) Immediate reductions in misperceived social norms among high-risk college student groups. *Addict Behav.*, 35(12), 1094-101.
- Lau-Barraco, C., & Collins, R.L. (2011) Social networks and alcohol use among nonstudent emerging adults: a preliminary study. *Addict Behav.*, 36(1-2), 47-54.
- Litt, D.M., & Stock, M.L. (2011) Adolescent alcohol-related risk cognitions: the roles of social norms and social networking sites. *Psychol Addict Behav.*, 25(4), 708-13.
- Lord, S., Brevard, J., & Budman, S. (2011) Connecting to young adults: an online social network survey of beliefs and attitudes associated with prescription opioid misuse among college students. *Subst Use Misuse.*, 46(1), 66-76.





# References

## Social Marketing

---

- Marteua, T.M., Roland, M., Suhrcke, M, & Kelly, M.P. (2011). Judging nudging: can nudging improve population health? *BMJ*, 342, 228
- John, B., & Alwyn, T. (2010). Alcohol related social norm perceptions in university students:  
a review of effective interventions for change. Alcohol Insight Number 72, The Alcohol Education and Research Council <http://www.aerc.org.uk/insightPages/libraryIns0072.html>
- Labrie, J.W., Hummer, J.F., Lac, A., & Lee, C.M. (2010) Direct and Indirect Effects of Injunctive Norms on Marijuana Use: The Role of Reference Groups\* *J Stud Alcohol Drugs.*, 71(6), 904–908.
- Marshall, B.L., Roberts, K.J., Donnelly, J.W., & Rutledge, I.N. (2011) College student perceptions on campus alcohol policies and consumption patterns. *J Drug Educ.*, 41(4), 345-58.
- Ministry of Health (2008). Literature Review on Models and Efficacy of Illegal Drug Social Marketing Campaigns. New Zealand
- Misch, D.A. (2010). Changing the culture of alcohol abuse on campus: Lessons learned from secondhand smoke. *Journal of American College Health*, 59 (3), 232-234.
- Moreira, M.T., Smith, L.A., & Foxcroft, D. (2009) Social norms interventions to reduce alcohol misuse in university or college students. *Cochrane Database Syst Rev.*, (3), CD006748.
- Moreno, M.A., Parks, M.R., Zimmerman, F.J., Brito, T.E., Christakis, D.A. (2009) Display of health risk behaviors on MySpace by adolescents: Prevalence and associations. *Archives of Pediatric & Adolescent Medicine*, 163, 27–34.
- Moss, H.B., Kirby, S.D., & Donodeo, F. (2009) Characterizing and Reaching High-Risk Drinkers Using Audience Segmentation. *Alcohol Clin Exp Res.*, 33(8), 1336–1345.
- Neighbors, C., Geisner, I.M., Lee, C.M. (2008) Perceived marijuana norms and social expectancies among entering college student marijuana users. *Psychology of Addictive Behaviors*, 22, 433–438.
- Neighbors, C., Lindgren, K.P., Knee, C.R., Fossos, N., & DiBello, A.(2011) The influence of confidence on associations among personal attitudes, perceived injunctive norms, and alcohol consumption. *Psychol Addict Behav.*, 25(4), 714-20.
- Park, H.S., Smith, S.W., Klein, K.A., & Martell D. (2011a) College students' estimation and accuracy of other students' drinking and believability of advertisements featured in a social norms campaign. *J Health Commun.*, 16(5), 504-18.
- Park, H.S., Smith, S., & Klein, K.A. (2011b) The effects of drinking status and believability of ads featured in a social norms campaign on college students' estimation and accuracy of other students' celebratory drinking. *Drug Educ.*, 41(4), 391-404.
- Pempek, T.A., Yermolayeva, Y.A., & Calvert, S.L (2009). College students' social networking experiences on Facebook. *J of Appl Dev Psychol*, 30, 227–238.





# References

## Social Marketing

---

Penny, G.N., & Armstrong-Jones, S. (2010). Student Choices and Alcohol Matters (SCAM):

A multi-level analysis of student alcohol (mis)use and its implications for policy and prevention strategies within universities, cognate educational establishments and the wider community a review of effective interventions for change. Alcohol Insight Number 73, The Alcohol Education and Research Council <http://www.aerc.org.uk/insightPages/libraryIns0073.html>

Perkins, H.W., Linkenbach, J.W., Lewis, M.A., & Neighbors, C. (2010) Effectiveness of social norms media marketing in reducing drinking and driving: A statewide campaign. *Addict Behav.*, 35(10), 866-74.

Pinkleton, B.E., Austin, E.W., & Van de Vord, R. (2010). The role of realism, similarity, and expectancies in adolescents' interpretation of abuse-prevention messages. *Health Communication*, 25 (3), 258-265

Pujazon-Zazik, M., & Park, M.J. (2010) To tweet, or not to tweet: Gender differences and potential positive and negative health outcomes of adolescents' social Internet use. *American Journal of Men's Health*, 4, 77–85.

Reilly, D.W., & Wood, M.D. (2008) A randomized test of a small-group interactive social norms intervention. *J Am Coll Health.*, 57(1), 53-60.

Ricciardelli, L.A. & McCabe, M.P. (2008). University students' perceptions of the alcohol campaign: "Is Getting Pissed Getting Pathetic? (Just Ask Your Friends)". *Addictive Behaviours.*, 33(2), 366-72.

Scheier, L.M., & Grenard, J.L. (2010) Influence of a nationwide social marketing campaign on adolescent drug use. *J Health Commun.*, 15(3), 240-71.

Schmidt, E, Kiss, S.M., & Lokanc-Diluzio, W. (2009) Changing social norms: a mass media campaign for youth ages 12-18. *Can J Public Health.*, 100(1), 41-5.

Scribner, R.A., Theall, K.P., Mason, K., Simonsen, N., Schneider, S.K., Towvim, L.G. & DeJong, W. (2011) Alcohol Prevention on College Campuses: The Moderating Effect of the Alcohol Environment on the Effectiveness of Social Norms Marketing Campaigns. *J Stud Alcohol Drugs.*, 72(2), 232–239.

Sondhi, A., & Turner, C. (2011). The influence of family and friends on young people's drinking. Round-up. The Joseph Rowntree Foundation

Turner, J., Perkins, H.W., Bauerle, J. (2008) Declining negative consequences related to alcohol misuse among students exposed to a social norms marketing intervention on a college campus. *J Am Coll Health.*, 57(1), 85-94.

van Gemert, C., Dietze, P., Gold, J., Sacks-Davis, R., Stoové, M., Vally, H., & Hellard, M. (2011) The Australian national binge drinking campaign: campaign recognition among young people at a music festival who report risky drinking. *BMC Public Health*, 11, 482.





# References

## Social Marketing

---

Vinci, D.M., Philen, R.C., Walch, S.E., Kennedy, R., Harrell, M., Rime, C., Matthews, J. (2010). Social Norms Tactics to Promote a Campus Alcohol Coalition. *American Journal of Health Education*, 41 (1) 29-37.

Wakefield, M.A., Loken, B. & Hornik, R. (2010). Use of mass media campaigns to change health behaviour. *The Lancet*, 376, 1261-1271.

Weinreich, N. K. (1999). *Hands on social marketing. A step-by-step guide*. Thousand Oaks, CA: Sage Publishers.

Wells, S., Neighbors, C., Tremblay, P.F., & Graham, K. (2011) Defending girlfriends, buddies and oneself: injunctive norms and male barroom aggression. *Addictive Behaviors*, 36(4), 416-420.

Whittingham, J.R.D.; Ruiter, R.A.C., Castermans, D, Huiberts, A., & Kok, G. (2008). Designing effective health education materials: experimental pre-testing of a theory-based brochure to increase knowledge. *Health Education Research*, 23 (3), 414-426

Yankelevitz, R.L., Mitchell, S.H., & Zhang, Y. (2011) Gender differences in factors associated with alcohol drinking: Delay discounting and perception of others' drinking. *Drug Alcohol Depend.*, 123(1-3), 273-6.

## Workplace Alcohol and Drug Policies

---

Ames, G.M., & Bennett, J.B. (2011) Prevention interventions of alcohol problems in the workplace. *Alcohol Res Health.*, 34(2), 175-87.

Ames, G.M., & Grube, J.W. (1999) Alcohol availability and workplace drinking: Mixed method analyses. *J of Studies on Alcohol.*, 60, 383–393.

Aseltine, R.H. Jr, Demarco, F.J., Wallenstein, G.V., & Jacobs, D.G. (2009) Assessing barriers to change in drinking behavior: results of an online employee screening program. *Work.*, 32(2), 165-9.

Bacharach, S. B., Bamberger, P. & Biron, M. (2010) Alcohol consumption and workplace absenteeism: The moderating effect of social support. *J Appl Psychol*, 95(2), 334–348.

Billings, D.W., Cook, R.F., Hendrickson, A., & Dove, D.C. (2008) A web-based approach to managing stress and mood disorders in the workforce. *J Occup Environ Med.*, 50(8), 960-8.

Butler, A.B., Dodge, K.D., & Faurote, E.J. (2010) College Student Employment and Drinking: A Daily Study of Work Stressors, Alcohol Expectancies, and Alcohol Consumption. *J Occup Health Psychol.*, 15(3), 291–303.

Casswell, S., Harding, J.F., You, R.Q., & Huckle, T. (2011) Alcohol's harm to others: self-reports from a representative sample of New Zealanders. *N Z Med J.*, 124(1336), 75-84.

Croissant, B., Hupfer, K., Loeber, S., Mann, K., & Zober, A. (2008) [Long-term follow-up on alcohol use in a big company after brief intervention by a company physician]. *Nervenarzt.*, 79(1), 80-5.





# References

## Workplace Alcohol and Drug Policies

---

- Dale, C.E., & Livingston, M.J. (2010) The burden of alcohol drinking on co-workers in the Australian workplace. *Med J Aust.*, 193(3), 138-40.
- Doumas, D.M., & Hannah, E. (2008) Preventing high-risk drinking in youth in the workplace: a web-based normative feedback program. *J Subst Abuse Treat.* , 34(3), 263-71.
- Ennenbach, M., Gass, B., Reinecker, H., & Soyka, M. (2009) [Efficiency of an alcohol addiction prevention program at the workplace: results of an empirical study]. *Nervenarzt.*, 80(3), 305-14.
- Ferrario, M.M., & Borsani, A. (2011) [Workplace health promotion: what evidence of effectiveness?]. *G Ital Med Lav Ergon.*, 33(2 Suppl), 44-7.
- Frone, M.R. (2008) Are work stressors related to employee substance use? The importance of temporal context assessments of alcohol and illicit drug use. *J Appl Psychol.*, 93(1), 199-206.
- Frone, M.R. (2009) Does a Permissive Workplace Substance Use Climate Affect Employees Who Do Not Use Alcohol and Drugs at Work? A U.S. National Study. *Psychol Addict Behav.*, 23(2), 386–390.
- Frone, M.R. & Brown, A.L. (2010) Workplace Substance-Use Norms as Predictors of Employee Substance Use and Impairment: A Survey of U.S. Workers. *J Stud Alcohol Drugs.*, 71(4), 526–534.
- Gimeno, D., Amick, B.C. 3rd, Barrientos-Gutiérrez, T., & Mangione, T.W. (2009) Work organization and drinking: an epidemiological comparison of two psychosocial work exposure models. *Int Arch Occup Environ Health.*, 82(3), 305-17.
- Gjerde, H., Christophersen, A.S., Moan, I.S., Yttredal, B., Walsh, J.M., Normann, P.T., & Mørland, J. (2010) Use of alcohol and drugs by Norwegian employees: a pilot study using questionnaires and analysis of oral fluid. *J Occup Med Toxicol.*, 5, 13.
- Greeley, J., & Oei, T. (1999) Alcohol and tension reduction. In: Leonard KE, Blake HT, editors. *Psychological theories of drinking and alcoholism*. 2. New York: Guilford Press. pp. 14–53.
- Hermansson, U., Helander, A., Brandt, L., Huss, A., & Rönnerberg, S. (2010) Screening and Brief Intervention for Risky Alcohol Consumption in the Workplace: Results of a 1-Year Randomized Controlled Study. *Alcohol and Alcoholism*, 45 (3), 252-257
- Hodgins, D.C., Williams R., & Munro, G. (2009) Workplace responsibility, stress, alcohol availability and norms as predictors of alcohol consumption-related problems among employed workers. *Subst Use Misuse.*, 44(14), 2062-9.
- Holmqvist, M., Hermansson, U., & Nilsen, P (2008) Towards increased alcohol intervention activity in Swedish occupational health services. *Int J Occup Med Environ Health*, 21, 179-87.
- Johansson, E., Böckerman, P., & Uutela, A. (2009) Alcohol consumption and sickness absence: evidence from microdata. *Eur J Public Health*, 19 (1), 19-22.
- Laslett, A.M., Room, R., Ferris, J., Wilkinson, C., Livingston, M., & Mugavin J. (2011) Surveying the range and magnitude of alcohol's harm to others in Australia. *Addiction.*, 106(9), 1603-11.





# References

## Workplace Alcohol and Drug Policies

---

- Lemke, S., Schutte, K.S., Brennan, P.L., & Moos, R.H. (2008) Gender Differences in Social Influences and Stressors Linked to Increased Drinking. *J Stud Alcohol Drugs*, 69(5), 695–702.
- Loeber, S., Klein, O., Mann, K., & Croissant, B. (2008) Substance abuse prevention in the workplace: theoretical knowledge and expertise after interventions. *Fortschr Neurol Psychiatr.*, 76(2), 92-6.
- Macdonald, S., Hall, W., Roman, P., Stockwell, T., Coghlan, M., & Nesvaag, S. (2010) Testing for cannabis in the work-place: a review of the evidence. *Addiction.*, 105(3), 408-16.
- Marchand, A. (2008) Alcohol use and misuse: What are the contributions of occupation and work organization conditions? *BMC Public Health*, 8, 333.
- Marchand, A., & Blanc, M.E. (2011) Occupation, work organization conditions, and alcohol misuse in Canada: an 8-year longitudinal study. *Subst Use Misuse.*, 46(8), 1003-14.
- Marchand, A., Parent-Lamarche, A., & Blanc, M. (2011) Work and High-Risk Alcohol Consumption in the Canadian Workforce. *Int J Environ Res Public Health*, 8(7), 2692–2705.
- McCambridge, J., & Day, M. (2008) Randomized controlled trial of the effects of completing the Alcohol Use Disorders Identification Test questionnaire on self-reported hazardous drinking. *Addiction*, 103, 241-8.
- McCarthy, P.M., & O’Sullivan, D. (2010) Efficacy of a brief cognitive behavioral therapy program to reduce excessive drinking behavior among new recruits entering the Irish Navy: a pilot evaluation. *Mil Med.*, 175(11), 841-6.
- McPherson, T.L., Goplerud, E., Derr, D., Mickenberg, J., & Courtemanche, S. (2010) Telephonic screening and brief intervention for alcohol misuse among workers contacting the employee assistance program: A feasibility study. *Drug Alcohol Rev.*, 29(6), 641-6.
- Mezuk, B., Bohnert, A.S., Ratliff, S., & Zivin, K. (2011) Job strain, depressive symptoms, and drinking behavior among older adults: results from the health and retirement study. *J Gerontol B Psychol Sci Soc Sci.*, 66(4), 426-34.
- Moore, R.S., Cunradi C.B., Duke, M.R., & Ames, G.M. (2009) Dimensions of Problem Drinking among Young Adult Restaurant Workers. *Am J Drug Alcohol Abuse*, 35(5), 329–333.
- Norström, T., & Moan, I.s. (2009) Per capita alcohol consumption and sickness absence in Norway *Eur J Public Health*, 19 (4), 383-388.
- Osilla, K.C., de la Cruz, E., Miles, J.N.V, Zellmer, S., Watkins, K., Larimer, M.E., & Marlatt, G.A. (2010) Exploring Productivity Outcomes from a Brief Intervention for At-Risk Drinking in an Employee Assistance Program. *Addict Behav.*, 35(3), 194.
- Osilla, K.C., Zellmer, S.P., Larimer, M.E., Neighbors, C., & Marlatt, G.A. (2008) A brief intervention for at-risk drinking in an employee assistance program. *J Stud Alcohol Drugs.*, 69(1), 14-20.





# References

## Workplace Alcohol and Drug Policies

---

Pidd, K., Roche, A.M., & Buisman-Pijlman, F. (2011) Intoxicated workers: findings from a national Australian survey. *Addiction.*, 106(9), 1623-33.

Reynolds, G.S., Lehman, W.E., & Bennett, J.B. (2008) Psychosocial correlates of the perceived stigma of problem drinking in the workplace. *J Prim Prev.*, 29(4), 341-56.

Salonsalmi, A., Laaksonen, M., Lahelma, E., & Rahkonen, O. (2009) Drinking habits and sickness absence: the contribution of working conditions. *Scand J Public Health.*, 37(8), 846-54.

Suzuki, E., Takao, S., Subramanian, S.V., Komatsu, H., Doi, H., & Kawachi, I. (2010) Does low workplace social capital have detrimental effect on workers' health? *Soc Sci Med.*, 70(9), 1367-72.

Waehrer, G.M., Zaloshnja, E., Miller, T., & Galvin, D. (2008) Substance-use problems: are uninsured workers at greater risk? *J Stud Alcohol Drugs.*, 69(6), 915-23.

Webb, G., Shakeshaft, A., Sanson-Fisher, R., & Havard, A. (2009) A systematic review of work-place interventions for alcohol-related problems. *Addiction.*, 104(3), 365-77.

## Harm Reduction - Alcohol

---

af Klinteberg, B., Almquist, Y., Beijer, U., & Rydelius, P. (2011) Family psychosocial characteristics influencing criminal behaviour and mortality - possible mediating factors: a longitudinal study of male and female subjects in the Stockholm Birth Cohort. *BMC Public Health*, 11, 756.

Armstrong, M.A., Kaskutas, L.A., Witbrodt, J., Taillac, C.J., Hung, Y.Y., Osejo, V.M., Escobar, G.J. (2009) Using drink size to talk about drinking during pregnancy: A randomized clinical trial of Early Start Plus. *Social Work in Health Care.*, 48, 90–103.

Bailey, B.A., & Sokol, R.J. (2008) Pregnancy and alcohol use: evidence and recommendations for prenatal care. *Clin Obstet Gynecol.*, 51(2), 436-44.

Bakhireva, L.N., Wilsnack, S.C., Kristjanson, A., Yevtushok, L., Onishenko, S., Wertelecki, W., Chambers, CD. (2011) Paternal drinking, intimate relationship quality, and alcohol consumption in pregnant Ukrainian women. *J Stud Alcohol Drugs.*, 72(4), 536-44.

Bergman, L.R., & Andershed, A.K. (2009) Predictors and outcomes of persistent or age-limited registered criminal behavior: a 30-year longitudinal study of a Swedish urban population. *Aggress Behav.*, 35(2), 164-78.

Brimacombe, M., Nayeem, A., Adubato, S., DeJoseph, M., Zimmerman-Bier, B. (2008) Fetal alcohol syndrome related knowledge assessment and comparison in New Jersey health professional groups. *Can J Clin Pharmacol.*, 15(1), e57-65.

Brems, C., Boschma-Wynn, R.V., Dewane, S.L., Edwards, A.E., & Robinson, R.V. (2010) Training needs of healthcare providers related to Centers for Disease Control and Prevention core competencies for fetal alcohol spectrum disorders. *J Popul Ther Clin Pharmacol.*, 17(3), e405-17.





# References

## Harm Reduction - Alcohol

---

- Bye, E.K., & Rossow, I. (2010) The impact of drinking pattern on alcohol-related violence among adolescents: An international comparative analysis. *Drug Alcohol Rev.*, 29(2), 131-7.
- Caley, L., Syms, C., Robinson, L., Cederbaum, J., Henry, M., & Shipkey, N. (2008) What human service professionals know and want to know about fetal alcohol syndrome. *Can J Clin Pharmacol.*, 15(1), e117-23.
- Cannon, M.J., Dominique, Y., O'Leary, L.A., Sniezek, J.E., Floyd, R.L.; FASSNet Team. (2012) Characteristics and behaviors of mothers who have a child with fetal alcohol syndrome. *Neurotoxicol Teratol.*, 34(1), 90-5.
- Chassin, L., Knight, G., Vargas-Chanes, D., Losoya, S. H. & Naranjo, D. (2009) Substance Use Treatment Outcomes in a Sample of Male Serious Juvenile Offenders *J Subst Abuse Treat.*, 36(2), 183–194.
- Chung, E.K., Nurmohamed, L., Mathew, L., Elo, I.T., Coyne, J.C., & Culhane, J.F. (2010) Risky health behaviors among mothers-to-be: the impact of adverse childhood experiences. *Acad Pediatr.*, 10(4), 245-51.
- Cismaru, M., Deshpande, S., Thurmeier, R., Lavack, A.M., & Agrey, N. (2010) Preventing fetal alcohol spectrum disorders: the role of protection motivation theory. *Health Mark Q.*, 27(1), 66-85.
- Coyne, K.L., de Costa, C.M., Heazlewood, R.J., & Newman, H.C. (2008) Pregnancy characteristics of women giving birth to children with fetal alcohol syndrome in Far North Queensland. *Aust N Z J Obstet Gynaecol.*, 48(3), 240-7.
- Cunningham, R. M., Walton, M.A. Goldstein, A., Chermack, S.T., Shope, J.T., Bingham, C.R., Zimmerman, M. A., & Blow, F.C. (2009) Three-Month Follow-up Of Brief Computerized And Therapist Interventions For Alcohol And Violence Among Teens. *Acad Emerg Med*, 16(11), 1193–1207.
- Delrahim-Howlett, K., Chambers, C.D., Clapp, J.D., Xu, R., Duke, K., Moyer, R.J. 3rd, & Van Sickle, D. (2011) Web-based assessment and brief intervention for alcohol use in women of childbearing potential: a report of the primary findings. *Alcohol Clin Exp Res.*, 35(7), 1331-8.
- Dresser, J., Starling, R., Woodall, W.G., Stanghetta, P., & May, P.A. (2011) Field trial of alcohol-server training for prevention of fetal alcohol syndrome. *J Stud Alcohol Drugs.*, 72(3), 490-6.
- Elonheimo, H., Sourander, A., Niemelä, S., Nuutila, A.M., Helenius, H., Sillanmäki, L., Ristkari, T., & Parkkola, K. (2009) Psychosocial correlates of police-registered youth crime. A Finnish population-based study. *Nord J Psychiatry.*, 63(4), 292-300.
- Floyd, R.L., Weber, M.K., Denny, C., & O'Connor, M.J. (2009) Prevention of fetal alcohol spectrum disorders. *Dev Disabil Res Rev.*, 15(3), 193-9.
- Grant, T.M., Huggins, J. E., Sampson, P.D., Ernst, C.C., Barr, H.M., & Streissguth, (2009) Alcohol Use Prior to and During Pregnancy in Western Washington, 1989–2004: Implications for Preventing Fetal Alcohol Spectrum Disorders *Am J Obstet Gynecol.*, 200(3), 278.e1–278.e8.





# References

## Harm Reduction - Alcohol

---

- Green, K.M., Doherty, E.E., Zebrak, K.A., & Ensminger, M.E. (2011) Association between adolescent drinking and adult violence: evidence from a longitudinal study of urban African Americans. *J Stud Alcohol Drugs.*, 72(5), 701-10.
- Ho, K.M., Litton, E., Geelhoed, E., Gope, M., Burrell, M., Coribel, J., McDowall, A., & Rao, S. (2012) Effect of an injury awareness education program on risk-taking behaviors and injuries in juvenile justice offenders: a retrospective cohort study. *PLoS One.*, 7(2), e31776.
- Holmqvist, M., & Nilsen, P. (2010) Approaches to assessment of alcohol intake during pregnancy in Swedish maternity care--a national-based investigation into midwives' alcohol-related education, knowledge and practice. *Midwifery.*, 26(4), 430-4.
- Johnson, M.E., Robinson, R.V., Corey, S., Dewane, S.L., Brems, C., Diane Casto, L. (2010) Knowledge, attitudes, and behaviors of health, education, and service professionals as related to fetal alcohol spectrum disorders. *Int J Public Health.*, 55(6), 627-35.
- Jones, S.C., Eval, M., Telenta, J., Cert, G., Shorten, A., & Johnson, K. (2011) Midwives and pregnant women talk about alcohol: what advice do we give and what do they receive? *Midwifery.*, 27(4), 489-96.
- Lewis, C.F. (2010) Childhood antecedents of adult violent offending in a group of female felons. *Behav Sci Law.*, 28(2), 224-34.
- McMurrin, M. (2012) Individual-level interventions for alcohol-related violence: a rapid evidence assessment. *Crim Behav Ment Health.*, 22(1), 14-28.
- Mwansa-Kambafwile, J., Rendall-Mkosi, K., Jacobs, R., Nel, E., & London, L. (2011) Evaluation of a service provider short course for prevention of fetal alcohol syndrome. *J Stud Alcohol Drugs.*, 72(4), 530-5.
- Parackal, S.M, Parackal, M.K, Harraway, J.A. (2010) Warning labels on alcohol containers as a source of information on alcohol consumption in pregnancy among New Zealand women. *International Journal on Drug Policy.*, 21, 302–305.
- Payne, J., France, K., Henley, N., D'Antoine, H., Bartu, A., O'Leary, C., Elliott, E., & Bower, C. (2011a) Changes in health professionals' knowledge, attitudes and practice following provision of educational resources about prevention of prenatal alcohol exposure and fetal alcohol spectrum disorder. *Paediatr Perinat Epidemiol.*, 25(4), 316-27.
- Payne, J.M., France, K.E., Henley, N., D'Antoine, H.A., Bartu, A.E., Mutch, R.C., Elliott, E.J., Bower, C. (2011b) Paediatricians' knowledge, attitudes and practice following provision of educational resources about prevention of prenatal alcohol exposure and Fetal Alcohol Spectrum Disorder. *J Paediatr Child Health.*, 47(10), 704-10.





# References

## Harm Reduction - Alcohol

---

- Parackal, S.M., Parackal, M.K., Harraway, J.A., & Ferguson, E.L. (2009) Opinions of non-pregnant New Zealand women aged 16-40 years about the safety of alcohol consumption during pregnancy. *Drug Alcohol Rev.*, 28(2), 135-41.
- Patra, J., Rehm, J., & Popova, S. (2011) Avoidable alcohol-attributable criminality and its costs due to selected interventions in Canada. *Int J Drug Policy.*, 22(2), 109-19.
- Peadon, E., Payne, J., Henley, N., D'Antoine, Bartu, A., O'Leary, C., Bower, C., & Elliott, E.J. (2010) Women's knowledge and attitudes regarding alcohol consumption in pregnancy: a national survey *BMC Public Health.*, 10, 510.
- Putkonen, H., Weizmann-Henelius, G., Lindberg, N., Rovamo, T., & Häkkänen, H. (2008) Changes over time in homicides by women: a register-based study comparing female offenders from 1982 to 1992 and 1993 to 2005. *Crim Behav Ment Health.*, 18(5), 268-78.
- Rasmussen, C., Kully-Martens, K., Denys, K., Badry, D., Henneveld, D., Wyper, K., Grant, T. The effectiveness of a community-based intervention program for women at-risk for giving birth to a child with Fetal Alcohol Spectrum Disorder (FASD) (2012) *Community Ment Health J.*, 48(1), 12-21.
- Rodway, C., Norrington-Moore, V., While, D., Hunt, I.M., Flynn, S., Swinson, N., Roscoe, A., Appleby, L, Shaw, J. (2011) A population-based study of juvenile perpetrators of homicide in England and Wales. *J Adolesc.*, 34(1), 19-28.
- Salmon, J. (2008) Fetal alcohol spectrum disorder: New Zealand birth mothers' experiences. *Can J Clin Pharmacol.*, 15(2), e191-213.
- Schroder, R., Sellman, D., Frampton, C., & Deering, D. (2008) Profile of young people attending alcohol and other drug treatment services in Aotearoa, New Zealand: clinical file search. *Aust N Z J Psychiatry.*, 42(11), 963-8.
- Stade, B.C., Bailey, C., Dzendoletas, D., Sgro, M., Dowswell, T., & Bennett, D. (2009) Psychological and/or educational interventions for reducing alcohol consumption in pregnant women and women planning pregnancy. *Cochrane Database Syst Rev.*, 15;(2), CD004228.
- Tenkku, L.E., Mengel, M.B., Nicholson, R.A., Hile, M.G., Morris, D.S., & Salas, J. (2011) A web-based intervention to reduce alcohol-exposed pregnancies in the community. *Health Educ Behav.*, 38(6), 563-73.
- Thanh, N.X., & Jonsson, E. (2010) Drinking alcohol during pregnancy: evidence from Canadian Community Health Survey 2007/2008. *J Popul Ther Clin Pharmacol.*, 17(2), e302-7.
- Weizmann-Henelius, G., Putkonen, H., Naukkarinen, H., & Eronen, M. (2009) Intoxication and violent women. *Arch Womens Ment Health.*, 12(1), 15-25.
- Wodarski, J.S. (2010) Prevention of adolescent reoccurring violence and alcohol abuse: a multiple site evaluation. *J Evid Based Soc Work.*,7(4), 280-301.





## References

### Harm Reduction - Alcohol

---

Wodarski, J.S., & Feit, M.D. (2011) Adolescent preventive health and team-games-tournaments: five decades of evidence for an empirically based paradigm. *Soc Work Public Health.*, 26(5), 482-512.

### Harm Reduction – Drugs

---

Beletsky, L., Grau, L.E., White, E., Bowman, S., & Heimer, R. (2011) Prevalence, characteristics, and predictors of police training initiatives by US SEPs: building an evidence base for structural interventions. *Drug Alcohol Depend.*, 119(1-2), 145-9.

Bonar, E.E., & Rosenberg, H. (2011) Using the health belief model to predict injecting drug users' intentions to employ harm reduction strategies. *Addict Behav.*, 36(11), 1038-44.

Brener, L., Spooner, C., & Treloar, C. (2010) Preventing transitions to injecting amongst young people: what is the role of Needle and Syringe Programmes? *Int J Drug Policy.*, 21(3), 160-4.

Bridge (2010) Route transition interventions: potential public health gains from reducing or preventing injecting. *Int J Drug Policy.*, 21(2), 125-8.

Brown, E.R. (1991) Community action for health promotion: A strategy to empower individuals and communities. *International Journal of Health Services.*, 21, 441–456.

Bruneau, J., Daniel, M., Kestens, Y., Zang, G., & G n reux, M. (2008) Associations between HIV-related injection behaviour and distance to and patterns of utilisation of syringe-supply programmes. *Journal of Epidemiology and Community Health.*, 62, 804–810.

Bryant, J., & Hopwood, M. (2009) Secondary exchange of sterile injecting equipment in a high distribution environment: a mixed method analysis in south east Sydney, Australia. *Int J Drug Policy.*, 20(4), 324-8.

Bryant, J., & Treloar, C. (2008) Initiators: an examination of young injecting drug users who initiate others to injecting. *AIDS Behav.*, 12(6), 885-90.

Caulkins, J.P., Tragler, G., & Wallner, D. (2009) Optimal timing of use reduction vs. harm reduction in a drug epidemic model. *Int J Drug Policy.*, 20(6), 480-7.

Davidson, P.J., Scholar, S., & Howec, M. (2011) A GIS-based methodology for improving needle exchange service delivery. *Int J Drug Policy.*, 22(2), 140–144.

Degenhardt, L., Kinner, S.A., Roxburgh, A., Black, E., Bruno, R., Fetherston, J., & Fry, C.L. (2008) Drug use and risk among regular injecting drug users in Australia: does age make a difference? *Drug Alcohol Rev.*, 27(4), 357-60.

Degenhardt, L., Mathers, B., Vickerman, P., Rhodes, T., Latkin, C., & Hickman, M. (2010) Prevention of HIV infection for people who inject drugs: why individual, structural, and combination approaches are needed. *Lancet.*, 24;376(9737),285-301.





# References

## Harm Reduction – Drugs

---

- Des Jarlais, D.C., McKnight, C., Goldblatt, C., & Purchase, D. (2009) Doing harm reduction better: syringe exchange in the United States. *Addiction*, 104(9), 1441-6.
- Exner, H., Gibson, E.K., Stone, R., Lindquist, J., Cowen, L., & Roth, E.A. (2009) Worry as a window into the lives of people who use injection drugs: a factor analysis approach. *Harm Reduct J.*, 6, 20.
- Falster, K., Kaldor, J.M., Maher, L.; collaboration of Australian Needle and Syringe Programs. (2009) Hepatitis C virus acquisition among injecting drug users: a cohort analysis of a national repeated cross-sectional survey of needle and syringe program attendees in Australia, 1995-2004. *J Urban Health.* , 86(1), 106-18.
- Fast, D., Small, W., Wood, E., & Kerr, T (2008) The perspectives of injection drug users regarding safer injecting education delivered through a supervised injecting facility. *Harm Reduct J.*, 5, 32.
- Gustafson, D.L., Goodyear, L., & Keough, F. (2008) When the dragon's awake: a needs assessment of people injecting drugs in a small urban centre. *Int J Drug Policy.*, 19(3), 189-94.
- Kidorf, M., & King, V.L. (2008) Expanding the public health benefits of syringe exchange programs. *Can J Psychiatry.*, 53(8), 487-95.
- Kidorf, M., King, V.L., Neufeld, K., Peirce, J., Kolodner, K., & Brooner, R.K. (2009) Improving substance abuse treatment enrollment in community syringe exchangers. *Addiction.*, 104(5), 786-95.
- Kidorf, M., King, V.L., Peirce, J., Kolodner, K., & Brooner, R.K. (2011) Benefits of concurrent syringe exchange and substance abuse treatment participation. *J Subst Abuse Treat.*, 40(3), 265-71.
- Kimber, J., Mattick, R.P., Kaldor, J., van Beek, I., Gilmour, S., & Rance, J.A. (2008) Process and predictors of drug treatment referral and referral uptake at the Sydney Medically Supervised Injecting Centre. *Drug Alcohol Rev.*, 27(6), 602-12.
- Holtzman, D., Barry, V., Ouellet, L.J., Des Jarlais, D.C., Vlahov, D., Golub, E.T., Hudson, S.M., Garfein, R.S. (2009) The influence of needle exchange programs on injection risk behaviors and infection with hepatitis C virus among young injection drug users in select cities in the United States, 1994-2004. *Prev Med.*, 49(1), 68-73.
- Islam, M.M., Conigrave, K.M., & Stern, T. (2009) Staff perceptions of syringe dispensing machines in Australia: a pilot study. *Subst Use Misuse.*, 44(4), 490-501.
- Islam, M., Stern, T., Conigrave, K.M., & Wodak, A. (2008) Client satisfaction and risk behaviours of the users of syringe dispensing machines: a pilot study. *Drug Alcohol Rev.* ,27(1), 13-9.
- Jones, L., Pickering, L., Sumnall, H., McVeigh, J., & Bellis, M.A. (2010) Optimal provision of needle and syringe programmes for injecting drug users: A systematic review. *Int J Drug Policy.*, 21(5), 335-42.
- Knittel, A.K., Wren, P.A., & Gore, L. (2010) Lessons learned from a peri-urban needle exchange *Harm Reduct J.*, 7, 8.





# References

## Harm Reduction – Drugs

---

Leonard, L., DeRubeis, E., Pelude, L., Medd, E., Birkett, N., & Seto J. (2008) "I inject less as I have easier access to pipes": injecting, and sharing of crack-smoking materials, decline as safer crack-smoking resources are distributed. *Int J Drug Policy*, 19(3), 255-64.

O'Leary, M.C., Hutchinson, S.J., Allen, E., Palmateer, N., Cameron, S., Taylor, A., & Goldberg, D.J. (2012) The association between alcohol use and hepatitis C status among injecting drug users in Glasgow. *Drug Alcohol Depend*, 123(1-3), 180-9.

MacNeil, J., & Pauly, B. (2011) Needle exchange as a safe haven in an unsafe world. *Drug Alcohol Rev*. 30(1), 26-32.

Matheson, C., Anthony, G.B., Bond, C., & Rossi, M.K. (2008) Assessing and prioritizing the preferences of injecting drug users in needle and syringe exchange service development. *J Public Health*, 30 (2), 133-138.

McDonald, D. (2009) The evaluation of a trial of syringe vending machines in Canberra, Australia. *Int J Drug Policy*, 20(4), 336-9.

McDonald, S.A., Hutchinson, S.J., Wallace, L.A., Cameron, S.O., Templeton, K., McIntyre, P., Molyneaux, P., Weir, A., Codere, G, Goldberg, D.J. (2012) Trends in the incidence of HIV in Scotland, 1988-2009. *Sex Transm Infect*., 88(3), 194-9.

Merkinaitė, S., Grund, J.P., & Frimpong, A. (2010) Young people and drugs: next generation of harm reduction. *Int J Drug Policy*., 21(2), 112-4.

Nathani, J., Iversen, J., Shying, K., Byrne, J., & Maher, L. (2010) Qualitative accounts of needle and syringe cleaning techniques among people who inject drugs in Sydney, Australia. *Drug Alcohol Rev*., 29(4), 413-9.

Palmateer, N., Kimber, J., Hickman, M., Hutchinson, S., Rhodes, T., & Goldberg, D. (2010) Evidence for the effectiveness of sterile injecting equipment provision in preventing hepatitis C and human immunodeficiency virus transmission among injecting drug users: a review of reviews. *Addiction*., 105(5), 844-59.

Parkin, S., & Coomber, R. (2010) Fluorescent blue lights, injecting drug use and related health risk in public conveniences: findings from a qualitative study of micro-injecting environments. *Health Place*., 16(4), 629-37.

Parkin, S., & Coomber, R. (2011) Public injecting drug use and the social production of harmful practice in high-rise tower blocks (London, UK): a Lefebvrian analysis. *Health Place*., 17(3), 717-26.

Paterson, B.L., & Panessa, C. (2008) Engagement as an ethical imperative in harm reduction involving at-risk youth. *Int J Drug Policy*., 19(1), 24-32.

Reddon, H., Wood, E., Tyndall, M., Lai, C., Hogg, R., Montaner, J., & Kerr, T. (2011) Use of North America's first medically supervised safer injecting facility among HIV-positive injection drug users. *AIDS Educ Prev*., 23(5), 412-22.





# References

## Harm Reduction – Drugs

---

- Rhodes, T. (2009) Risk environments and drug harms: a social science for harm reduction approach. *Int J Drug Policy.*, 20(3), 193-201.
- Rhodes, T., & Treloar, C. (2008) The social production of hepatitis C risk among injecting drug users: a qualitative synthesis. *Addiction.*, 103(10), 1593-603.
- Roberts, J., Annett, H., & Hickman, M. (2011) A systematic review of interventions to increase the uptake of opiate substitution therapy in injecting drug users. *J Public Health (Oxf).* , 33(3), 378-84.
- Salmon, A.M., van Beek, I., Amin, J., Kaldor, J., & Maher, L. (2010) The impact of a supervised injecting facility on ambulance call-outs in Sydney, Australia. *Addiction.*,105(4), 676-83.
- Semaan, S., Fleming, P., Worrell, C., Stolp, H., Baack, B., & Miller, M. (2011) Potential role of safer injection facilities in reducing HIV and hepatitis C infections and overdose mortality in the United States. *Drug Alcohol Depend.*, 118(2-3), 100-10.
- Sherman, S.G., Gann, D.S., Tobin, K.E., Latkin, C.A., Welsh, C., & Bielenso, P. (2009) "The life they save may be mine": diffusion of overdose prevention information from a city sponsored programme. *Int J Drug Policy.*,20(2), 137-42.
- Simmonds, L., & Coomber, R (2009) Injecting drug users: a stigmatised and stigmatising population. (2009) *Int J Drug Policy.*,20(2), 121-30.
- Smout, M.F., Longo, M., Harrison, S., Minniti, R., Cahill, S., Wickes, W., & White, J.M. (2010) The Psychostimulant Check-Up: A pilot study of a brief intervention to reduce illicit stimulant use. *Drug Alcohol Rev.*, 29(2), 169-76.
- Strike, C., Watson, T.M., Lavigne, P., Hopkins, S., Shore, R., Young, D., Leonard, L., & Millson P. (2011) Guidelines for better harm reduction: evaluating implementation of best practice recommendations for needle and syringe programs (NSPs). *Int J Drug Policy.*, 22(1), 34-40.
- Tesoriero, J.M., Battles, H.B., Klein S.J., Kaufman, E., & Birkhead, G.S. (2009) Expanding access to sterile syringes through pharmacies: assessment of New York's Expanded Syringe Access Program. *J Am Pharm Assoc* (2003). 49(3), 407-16.
- Tobin, K.E., Sherman, S.G., Beilenson, P., Welsh, C., & Latkin, C.A. (2009) Evaluation of the Staying Alive programme: training injection drug users to properly administer naloxone and save lives. *Int J Drug Policy.* 20(2), 131-6.
- Torre, C., Lucas, R., & Barros, H. (2010) Syringe exchange in community pharmacies--The Portuguese experience. *Int J Drug Policy.*, 21(6):514-7.
- Turner, K.M., Hutchinson, S., Vickerman, P., Hope, V., Craine, N., Palmateer, N., May, M., Taylor, A., De Angelis, D., Cameron, S., Parry, J., Lyons, M., Goldberg, D., Allen, E., & Hickman, M. (2011) The impact of needle and syringe provision and opiate substitution therapy on the incidence of hepatitis C virus in injecting drug users: pooling of UK evidence. *Addiction.*, 106(11), 1978-88.





# References

## Harm Reduction – Drugs

---

- Vorobjov, S., Uusküla, A., Abel-Ollo, K., Talu, A., & Jarlais, D.D. (2009) Should pharmacists have a role in harm reduction services for IDUs? A qualitative study in Tallinn, Estonia. *J Urban Health*, 86(6), 918-28.
- Wagner, K.D., Valente, T.W., Casanova, M., Partovi, S.M., Mendenhall, B.M., Hundley, J.H., Gonzalez, M., & Unger, J.B. (2010) Evaluation of an overdose prevention and response training programme for injection drug users in the Skid Row area of Los Angeles, CA. *Int J Drug Policy*. 2010, 21(3),186-93.
- Weeks, M.R., Li, J., Dickson-Gomez, J., Convey, M., Martinez, M., Radda, K., & Clair, S. (2009) Outcomes of a Peer HIV Prevention Program with Injection Drug and Crack Users: The Risk Avoidance Partnership. *Subst Use Misuse*, 44(2);, 253–281.
- Wenger, L.D., Arreola, S.G., Kral, A.H. (2011) The prospect of implementing a Safer Injection Facility in San Francisco: perspectives of community stakeholders. *Int J Drug Policy*, 22(3). 239-41.
- Wilkins, L., Bissell, P., & Meier, P.S. (2010) Risky injecting practices associated with snowballing: a qualitative study. *Drug Alcohol Rev*, 29(3), 256-62.
- Winstock, A.R., Nittis, M., Whitton, G., & Lea, T. (2009) Opioid dependent patients' experiences of and attitudes towards having their injecting sites examined. *Int J Drug Policy*, 20(1), 85-9.
- Wodak, A., & Maher, L. (2010) The effectiveness of harm reduction in preventing HIV among injecting drug users. *N S W Public Health Bull*, 21(3-4), 69-73.
- Wodak, A., & McLeod, A. (2008) The role of harm reduction in controlling HIV among injecting drug users. *AIDS*, 22(Suppl 2), S81–S92.
- Wolfe, D., & Cohen, J. (2010) Human rights and HIV prevention, treatment, and care for people who inject drugs: key principles and research needs. *J Acquir Immune Defic Syndr*, 55 Suppl 1, S56-62.
- Wood, R.A., Wood, E., Lai, C., Tyndall, M.W., Montaner, J.S., & Kerr, T. (2008) Nurse-delivered safer injection education among a cohort of injection drug users: evidence from the evaluation of Vancouver's supervised injection facility. *Int J Drug Policy*, 19(3), 183-8.

