

## **ACTICHLOR™ PLUS**

## **BLOOD SPILLS**



Wear disposable gloves and apron. Safety glasses with side shields are required when handling the granules and tablets. When using the solution, safety glasses should be worn if there is risk of splashing



Dispense Actichlor Granules directly onto the wet blood spill and leave for **3 minutes** and dispose as clinical waste



Place paper towels over blood spill. Dissolve Actichlor Plus tablets (according to dilution instructions below) in cold water to make your solution.

Carefully pour over towels. Leave for **3 minutes** and dispose as clinical waste



Clean spillage area with General Purpose Neutral Detergent (detergent wipes)



Keep solution for no longer than 24 hours. Dispose of remaining solution into appropriate drains with running water e.g. disposal sink, sluice



Dispose of gloves and apron as clinical waste. Wash hands after removing gloves and apron

## **DILUTION INSTRUCTIONS**

DISINFECTION OF BLOOD SPILLS (10,000PPM AVAILABLE CHLORINE)				CONTACT TIME
Disinfection of Wet/Dry Blood Spills	Actichlor Plus Tablets	1 tablet per 100ml	e.g. 5 tablets per 500ml	3 minutes
			e.g. 10 tablets per 1L	3 minutes
Disinfection of Large Blood Spills	Actichlor Granules	No dilution required		3 minutes

## **WARNINGS & PRECAUTIONS**



AVOID contact with skin and eyes. DO NOT breathe dust/fume/gas/mist /vapors/spray.



DO NOT use directly on urine or vomit. Mixing this product with acid or ammonia releases chlorine gas.



**AVOID** prolonged contact with stainless steel or clothing.



ALWAYS dispose used materials as clinical waste.
Wash hands thoroughly after handling



ALWAYS keep container tightly closed. Store in a secure dry place in suitable labelled containers



**ALWAYS** keep out of the reach of children



ALWAYS dispose of each solution after 24 hours, refer to your SDS and hospital

policy



USE ONLY with adequate ventilation

USE BIOCIDES SAFELY, ALWAYS READ THE LABEL & PRODUCT INFORMATION BEFORE USE PLEASE REFER TO THE SAFETY DATA SHEET AND HOSPITAL POLICY

