


Q-Pulse Database	DIAIMA	
Document Number	EP-21	
Document Title	Carers and Comforters	

### 1. Objectives

To ensure that, in accordance with Regulation 3 and 12, a system is in place to identify persons acting in the capacity of carer or comforter and to reduce their dose as far as possible.

### 2. Responsibilities

Service Leads (SL) are responsible for ensuring that persons who might act in a capacity of carer or comforter do so knowingly and willingly.

### 3. Procedure

Under normal circumstances no other person should need to be present during a procedure using ionising radiation.

When the condition of a patient justifies it, it may be helpful for another person to knowingly and willingly act in the capacity of carer or comforter.

In these cases the following should be considered:

- No carer or comforter should be pregnant unless in exceptional circumstances
- A person who is employed as a carer or any occupational helper capacity cannot act as a carer or comforter.
- Carer or comforters would normally be at least 16y old.
- Written information should be available explaining the approximate dose which will be received and an indication of the risk associated with this
- All possible steps will be made to minimise the dose to the person acting as carer or comforter
- An upper limit of 5mSv over a year per procedure will be adopted.

Owner	Author	Revision	Active Date	Review Date	Page
Leanord, Alistair	Bolster, Alison	3	07/10/2021	23/09/2027	1 of 1
This document is uncontrolled when printed. Check Revision BEFORE use!					