| Q-Pulse Database | DIAIMA                                      | NHS                          |  |
|------------------|---|------------------------------|--|
| Document Number  | EP-Guidance-012                             |                              |  |
| Document Title   | Guidance on the use of auto-reports in CRIS | Greater Glasgow<br>and Clyde |  |

## 1. Objective

To ensure process for all radiology examinations and procedures to have documented results.

Radiology auto reports - a clinical evaluation is required within the patient notes, which is a delegated operator requirement of the entitled referrer.

Radiology formal reports required for all other examinations/procedures.

## 2. Practical Procedure

## **Clinical services**

There is an agreed delegation through IR(ME)R for all referrers to interpret and documents the clinical evaluation. There is an ongoing requirement for the services to undertake regular audit of this to ensure adherence.

## **Radiology service**

Any clinical evaluation carried out by an entitled Operator on CRIS will be checked and verified before it is sent to the referrer.

The radiology department will issue at the time of the exam/procedure acquisition an auto report.

Clerical staff on a regular basis will produce a statistical report highlighting which examinations have not been reported and ensure that this is made available to an entitled Operator for reporting.

Should the entitled Operator feel that any images within scope for an auto report merit a formal report then they should make a comment in the reasons for examination box to indicate to the reporter the reason for not providing an auto-report.

| Owner  | Author        | Revision | Active Date | Review Date | Page   |
|--|---------------|----------|-------------|-------------|--------|
| MacDuff, Ross  | Grayson, Gary | 4        | 23/09/2024  | 23/09/2027  | 1 of 2 |
| This document is uncontrolled when printed. Check Revision BEFORE use! |               |          |             |             |        |

| Q-Pulse Database | DIAIMA                                      |
|------------------|---|
| Document Number  | EP-Guidance-012                             |
| Document Title   | Guidance on the use of auto-reports in CRIS |



Table 1. Inclusion and exclusion for auto reporting of radiology examinations/procedures.

| Clinical Service | Inclusion ( Auto report required)   | Exclusions (Formal report required)  | Locations  |
|------------------|---|--|--|
| Dental           | Dental practitioner referrals for assessment of dentition  Maxillofacial service – OPG and cephalometric radiographs  Dental hospital radiographs   | Cone Beam CT  All examinations not referred from dental practitioners.   | All sites  |
| Orthopaedic      | Follow up radiographs - fracture & orthopaedic clinics  Post-op radiographs of joint replacement surgery  Long Leg radiographs  Clyde only (orthopaedic immediate post-operative radiographs) | First radiograph at clinic with no previous formal report on CRIS of the same body part.  New trauma  New presentation of symptoms  Chest X-Ray  Long Spine radiographs  Ortho oncology radiographs  All patients under the age of 16yrs | All sites except<br>RHC<br>Clyde sector<br>for immediate<br>post op<br>radiographs<br>only |
| Plastic surgery  | Hand clinic follow up radiograph  | First radiographs at clinic with no formal report is on CRIS of the same body part.  All other body radiographs  All patients under the age of 16yrs   |  |
| Urology          | Follow up abdominal radiographs of urinary tract calculi.   | First radiograph following CT KUB & operative procedures   | All sites except<br>Clyde  |
| Fluoroscopy      | Procedures performed by a non -<br>Radiologist  | Radiographer led services  | All sites  |
| DEXA             | All DEXA  | None   | All sites  |

| Owner  | Author        | Revision | Active Date | Review Date | Page   |
|--|---------------|----------|-------------|-------------|--------|
| MacDuff, Ross  | Grayson, Gary | 4        | 23/09/2024  | 23/09/2027  | 2 of 2 |
| This document is uncontrolled when printed. Check Revision BEFORE use! |               |          |             |             |        |