

Evidence Briefing 4: At-risk groups and vulnerabilities

Need to know

- Socioeconomically deprived groups often report lower levels of average alcohol use but experience greater or similar levels of alcohol-related harm.
- Alcohol and drug-related deaths are much higher in the most deprived areas, compared to the least
- Alcohol and drug use issues are more common amongst homeless people than the general population
- All LGBT+ populations experience some form of health inequality, including an increased risk of alcohol and drug use issues
- Alcohol and drug use issues are more common for those with *pre-existing* mental health issues or behavioural disorders, but equally alcohol and drug use can increase the risk of *developing* certain mental health issues
- The prevalence of alcohol and drug use issues is much greater in the prison population than in the general population
- At-risk groups are not mutually exclusive, and often an individual will face multiple risks, and thus multiple barriers to services

Key findings

- Integrated services and care pathways are important for all at-risk groups to tackle multiple and complex needs effectively. This includes multi-agency working, continuity of care and considerable wraparound support eg housing, finance and employment services
- At-risk groups face barriers to accessing services. For LGBT+ groups, health staff training and awareness can be effective in mitigating this, as well as capturing data on sexual orientation and gender identity to inform service design and delivery
- Specific services, workers and spaces can be effective for supporting protected characteristic groups.
- Those with coexisting mental health and alcohol or drug use issues (dual diagnosis) can benefit from tailored interventions which are non-confrontational, simultaneously address mental health and alcohol or drug use, and are delivered by trained staff
- For homeless populations, assertive, long-term outreach services and Housing First approaches have demonstrated effectiveness in increasing engagement and reducing alcohol and drug related harms
- Rapid, easy and timely access to services is particularly important for homeless populations, and those involved with Criminal Justice services

Good practice

- Pride in Practice
- Leeds Dual Diagnosis Project
- Housing First Glasgow
- Turning Point Scotland²¹⁸ Centre
- The High Impact & Complex Drinkers project
- Tomorrow's Women

Potential Stakeholders

- Homelessness services and housing providers
- LGBT+ services
- All health professionals
- Scottish Prison Service
- Third sector
- Alcohol and drug services
- Mental health services
- Police Scotland
- Service users/peer involvement
- Social work

Introduction

This briefing covers populations that are at greater risk of alcohol and drug related harms. It provides information on each population, as well as evidence relating to what specific interventions are recommended for each. The four main at-risk groups that have been identified are:

- People experiencing or at risk of deprivation, poverty and homelessness
- LGBT+ people (lesbian, women who have sex with women, gay, men who have sex with men (MSM), bisexual, transgender, non-binary and other minority sexual orientation and gender identity groups)
- People with mental health issues and / or behavioural disorders
- People involved with Criminal Justice services

This list should not be taken to be exhaustive, and other at-risk groups should be considered, such as older adults (Briefing 8), and vulnerable young people such as those who are care experienced (Briefing 6) . What works for at-risk populations is likely to overlap considerably with what works for the general population in reducing alcohol and drug-related harms and this briefing should be read in conjunction with the life-stage briefings where appropriate. Any intervention for at-risk groups should also be based on the key themes detailed in Evidence Briefing 2, including whole systems; person-centred approaches and trauma informed practice.

While there are a number of good practice examples as to what works for different at-risk groups there is still a considerable need and opportunity to further grow the evidence base and to add to the case study databank for each at-risk group.

Context

It should be noted that these at-risk groups are not mutually exclusive, and often an individual will face multiple risks, and thus multiple barriers to accessing services. For example, involvement with the criminal justice system and severe mental health issues are both more common amongst the homeless population; poverty is a main driver of homelessness; mental health issues are more prevalent in the LGBT+ community; and LGBT+ young people are at greater risk of becoming homeless than the general population¹.

Multiple and complex needs have been recognised in the literature. ‘Dual diagnosis’ refers to coexisting alcohol or drug use issues alongside a mental health problem. Dual diagnosis requires more intensive, long-term support and can increase barriers in access to services, as well as discontinuity of care as a result of service fragmentation. For example, mental health services and alcohol and drug services are often placed in “separate budget pools”, and can have different approaches and ways of working. This can impact on their effectiveness for people with dual diagnoses. There can also be other barriers such as psychiatric services requiring abstinence as a prerequisite to assessment².

People experiencing or at risk of deprivation, poverty and homelessness

Lower income households and people living in the most deprived neighbourhoods experience significant health inequalities. This is most striking in relation to alcohol and drug-related harm³. Individuals from deprived communities are more likely to have experienced psychological trauma and mental health issues. This has been linked to the use of drugs as a coping mechanism. Low employment opportunities and few community resources also appear to be associated with greater risk of drug use issues. In Scotland, when the most deprived **decile** is compared to the least deprived **decile**, it has been found that:

- Alcohol related deaths are nearly 7 times higher⁴
- Hospital admissions due to alcohol are nearly 9 times higher⁵
- Alcohol use issues are more than 8 times higher⁶
- Chronic liver disease is 7 times higher⁷
- Drug use issues are 17 times higher⁸

The alcohol harm paradox: Socioeconomically deprived groups often report lower levels of average alcohol use but experience greater or similar levels of alcohol-related harm. This is particularly true for mortality from chronic liver disease.⁹

Alcohol and drug use issues are more common amongst homeless people¹⁰. The relationship between alcohol and drug use and homelessness is complex but has been linked to several intersecting issues, including living an unhealthy lifestyle, experiencing trauma¹¹, offending and coping with severe mental health issues, which are all more prevalent amongst this group¹². Reduced access to support, including not being registered with a GP, compounds health inequalities for homeless people. New Psychoactive Substance use also appears to be more common in homeless populations.

- A 2018 Scottish Government study found that, of those that had experienced homelessness at some point in their life, 19% had evidence of alcohol and / or drug interactions, compared to 5% of the control group¹³
- This study also found that 30% had evidence of a mental health problem, compared to 21% of the control group, and that 6% of those who had experienced homelessness had a mental health problem combined with alcohol and drug use issues, compared to 1% of the control group¹⁴
- Early evidence from Glasgow Alcohol and Drug Recovery Services suggests that the rise in the use of “Street Valium” was partly responsible for a 43% increase in drug related deaths in the city between 2017 and 2018¹⁵. Increased use of this drug has been particularly pronounced among homeless populations

Suicide has also been linked to financial problems, demonstrating the need for holistic support, and the links between the different vulnerable groups¹⁶.

LGBT+ populations

LGBT+ is an umbrella term representing many sub-populations, including lesbian, gay, bisexual, non-binary, transgender and intersex people. While it should be acknowledged that each sub-population has distinct health and wellbeing needs, in general all LGBT+ populations experience some form of health inequality, including an increased risk of alcohol and drug use issues^{17 18}.

- In 2018, 14% of LGBT people in Scotland drank alcohol almost every day over the last year, compared to 9% of the general population¹⁹
- 62% of participants in the Trans Mental Health Study reported drinking outside government guidelines, compared to 40% of the general population. This higher prevalence has been attributed to coping with gender dysphoria, experiences of transphobia and with mental health issues²⁰
- According to LGBT Youth Scotland, 24% of young homeless people in Scotland are LGBT and 77% of those stated that their LGBT+ identity was “a causal factor in them becoming homeless”²¹
- Around half of LGBT+ people in Britain have experienced depression in the last year. This is much higher than in the general population²²
- 25% of LGBT+ people had experienced discrimination when accessing services, including 21% in healthcare services²³
- One in five LGBT people “aren’t out” to any healthcare professional about their sexual orientation when seeking general medical care. This number rises to 40% bi men and 29% of bi women²⁴
- In Britain, one in seven LGBT+ people have avoided treatment for fear of discrimination²⁵
- LGBT people who disclosed their sexual orientation to their GP were 21% more likely to feel their GP met their health needs as an LGBT person than patients who did not disclose²⁶
- The rise of “chemsex” (engaging in sex while under the influence of drugs such as GHB, mephedrone and crystal methamphetamine) amongst men who have sex with men (MSM) is increasing the risk of New Psychoactive Substance (NPS) use for gay and bisexual men^{27 28}
- A Public Health England study found that men who have sex with men (MSM) and who are in treatment for use of non-opiate drugs were more likely to inject (16%) compared to heterosexual men (3%), which may reflect the practice of slamming (injecting mephedrone or crystal methamphetamine)²⁹.

It has been suggested that the increased risk of alcohol use issues in the LGBT+ community could be in part due to heavy drinking norms in the commercial gay scene, with “habitual promotion of drinks such as alcopops, spirits and shots”³⁰, as well as “strong peer pressure to drink across the life course”³¹. Drinking alcohol has also been found to be an important part of “identity construction”³² for this group, particularly in relation to gender.

Mental health issues and behavioural disorders

Alcohol and drug use issues appear to be more common for those with pre-existing mental health issues or behavioural disorders³³, but equally to increase the risk of developing certain mental health issues³⁴.

- Research shows that mental health issues are experienced by 70% of people with drug use issues and 86% of people with alcohol use issues in community alcohol and drug use treatment³⁵
- A review of bipolar disorder and alcohol use disorder showed that the two conditions commonly occur in the same individual³⁶
- A 2006 NICE review found evidence of associations between certain personality characteristics, including attention deficit disorders and impulsiveness, and the increased likelihood that experimentation with drugs will lead to harmful use³⁷
- The prevalence of alcohol use issues among people with psychiatric disorders is almost twice as high as in the general population and people with mental health issues such as schizophrenia are at least three times as likely to have alcohol use issues than the general population³⁸

Alcohol and drug use and mental health issues are both risk factors for suicide attempts and ideation³⁹.

- The restriction of alcohol is one of the WHO's recommendations for preventing suicide⁴⁰
- Alcohol and drug use disorders have been found in "25–50% of all suicides", and "suicide risk is further increased if alcohol or substance use is comorbid with other psychiatric disorders"⁴¹
- "Of all deaths from suicide, 22% can be attributed to the use of alcohol, which means that every fifth suicide would not occur if alcohol were not consumed in the population"⁴²
- People have "approximately seven times increased risk for a suicide attempt soon after drinking alcohol, and this risk further increases to 37 times after heavy use of alcohol"⁴³

People Involved with Criminal Justice Services

The prevalence of alcohol and drug use issues is greater in the prison population, and people involved with criminal justice services, than in the general population. Socioeconomic deprivation, homelessness, mental health issues and Adverse Childhood Experiences are all more common people involved with criminal justice services, which should be considered when designing services and delivering interventions for this group.

- One study in Scotland found that nearly three quarters (73%) of people in custody had an alcohol use disorder, with a third (36%) likely to be alcohol dependent⁴⁴
- Of the 960 tests carried out 2017/18 in Scotland when entering prison, 78% were positive for illegal drugs⁴⁵. The drugs most commonly detected when entering prison in 2017/18 were cannabis, cocaine and opiates⁴⁶
- Of the 562 tests carried out in 2017/18 in Scotland when leaving prison, 31% were positive for illegal drugs. This percentage has gradually increased since 2009/10⁴⁷
- The percentage of prisoners who stated that they were under the influence of drugs at the time of their offence was 40% in 2015⁴⁸
- Two in five (41%) of prisoners, and 60% of young prisoners, reported being drunk at the time of their offence in 2015⁴⁹
- Young adults (18-24) are the most likely age group to come into contact with the police⁵⁰
- 70% of women in prison require “clinical detoxification”, and “over half have engaged in crime to support someone else’s drug use”⁵¹
- “Black people are more likely to experience stop and search, more likely to be taken to court and are more likely to be fined or imprisoned for drug offences”⁵²

3 Detailed analysis of what works

- High quality and multiple source evidence to support this approach (1)
- Some evidence or emerging evidence to support this approach (2)
- Limited evidence for this approach or potential development area for further investigation (3)

People experiencing or at risk of deprivation, poverty and homelessness	Mental Health / Behavioural Disorders	LGBT+	Prisoners and persons with convictions
Integrated services and care pathways (1)	Integrated services and care pathways (1)	Health professional training and awareness raising (1)	Specific services, workers and spaces (1)
Assertive, long-term outreach services (2)	Holistic assessment (2)	Capturing and using data (2)	Integrated services and care pathways (1)
Rapid, easy and timely access to services (1)	Named care coordinators (2)	Specific services, workers and spaces (1)	Rapid, easy and timely access to services (1)
Accessible mental health services (2)	Accessible mental health services (2)	Integrated services and care pathways (1)	Positive social identity; increasing 'recovery capital' (2)
Holistic assessment (2)	Dual diagnosis training and awareness (2)	Holistic assessment (2)	Holistic assessment (2)
Dual diagnosis training and awareness (2)	Motivational techniques and cognitive behavioural therapy (2)		
Wet Housing / Day Centres (3)			
Housing First approaches (1)			

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Health professional training and awareness raising	<p>“LGBT people often receive inappropriate treatment and advice from primary care services due to a lack of knowledge about the ways in which health needs of LGBT+ patients differ from the needs of heterosexual and cisgender patients”⁵³.</p> <p>Training and awareness raising for health professionals involves designing best practice guides for staff, embedding LGBT+ inclusive training within standard NHS Scotland training⁵⁴, creating a culture of tolerance and positivity around LGBT+ patients, and ensuring LGBT+ patients are given full and correct health and wellbeing information.</p>	LGBT+		<ul style="list-style-type: none"> ✓ Identify best practice for LGBT+ inclusive staff training and share this learning⁵⁵ for example through best practice guides⁵⁶ ✓ Celebrate primary care services who are providing a high standard of care to LGBT+ communities⁵⁷ ✓ Positive response when a patient discloses that they are LGBT+⁵⁸ ✓ Use of correct pronouns for trans and non-binary groups⁵⁹ ✓ “Develop and prominently display bullying and harassment policies which communicate a zero-tolerance approach to homophobic, biphobic and transphobic discrimination”⁶⁰ ✓ “Publicise clear complaints procedures to encourage reporting”⁶¹ ✓ Make LGBT+ inclusive information and resources readily available for patients⁶², including signposting to other services⁶³ ✓ “Visibly represent LGBT+ communities in local campaigns and health initiatives”⁶⁴ for example wearing rainbow lanyards⁶⁵, adding an LGBT+ logo to a health website⁶⁶ ✓ Engage with local LGBT+ communities⁶⁷ through community networks and venues⁶⁸ × Refusing trans specific healthcare due to addiction status⁷¹ × Using traditional definitions of families⁷² 	<p>Pride in Practice, Greater Manchester⁶⁹</p> <p>LGBT Charter for organisations and schools⁷⁰ – this programme enables LGBT people to be proactively included in every aspect of an organisation’s work, protecting staff and providing high quality services to customers or programme participants</p>

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Capturing and using data	<p>The label 'LGBT+' represents a broad cross-section of society, encompassing a huge range of needs and intersections.</p> <p>Capturing data and best practice on specific subgroups within the LGBT+ umbrella is needed to inform service development⁷³, and could help inform service design and delivery, as well as identifying inequalities in outcomes . However, such data is rarely recorded, even at the level of the LGBT+ umbrella</p>	LGBT+	No / limited evidence on effectiveness as not regularly done	<ul style="list-style-type: none"> ✓ Datasets on alcohol and drug use should be broken down by sexual orientation and gender identity⁷⁴ ✓ Implement sexual orientation and trans status monitoring to ensure LGBT+ patients are included in health promotion activities and to identify differences in treatment outcomes⁷⁵ ✓ Use national and local data to inform service design and delivery for example by identifying hotspots of need⁷⁶ 	

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Specific services, workers and spaces	Research has demonstrated a need for bespoke services for particular marginalised groups. Such services may be entirely separate from mainstream services, or embedded within a wider service, but require dedicated workers and spaces, as well as tailored approaches, in order to be effective.	LGBT+	Strong evidence of effectiveness for MSM, evidence gaps exist for other LGBT+ sub-groups	<ul style="list-style-type: none"> ✓ Specific LGBT+ counselling or alcohol and drug services⁷⁷ ✓ A separate confidential room to discuss LGBT+ specific needs in pharmacies⁷⁸ ✓ Sub-group specific services including: <ul style="list-style-type: none"> • Transgender support services⁷⁹ including interventions delivered by “transgender peers”⁸⁰ • Lesbian and bisexual women’s health services • Dedicated drug services for men who have sex with men (MSM) acknowledging the rise of ‘chemsex’, ‘slamming’ and associated risks of blood-borne viruses⁸¹ 	<p>SX Scot Services⁸⁵ – provide specific health and wellbeing services for men who have sex with men</p> <p>Guy’s and St Thomas’ NHS Foundation Trust (Burrell Street Clinic) ‘Slamming Kits’ for MSM⁸⁶ for LGBT+</p>
		Prisoners and persons with convictions	Strong evidence for the need for tailored gender specific interventions for women prisoners and persons with convictions, particularly sex workers	<ul style="list-style-type: none"> ✓ Tailored women-only services and interventions for women prisoners and women with convictions⁸² for example women’s attendance centres⁸³ ✓ Specific services for black people with drug use issues who are prisoners or have convictions⁸⁴ • 	<p>Avon and Wiltshire NHS Trust⁸⁷ for women prisoners and women with convictions</p> <p>218 Centre, Turning Point Scotland⁸⁸ for women prisoners and diversion from prison</p>

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Integrated services and care pathways for multiple and complex needs	<p>As noted in the context section of this briefing, it is common for people to present with multiple, complex issues and for these to interact and overlap with one another. In order to be able to tackle multiple issues effectively, meet unmet needs, and enable people to engage with support, services need to work together to ensure equity of access and continuity of care.</p> <p>Where possible, services should aim to provide several elements of support eg mental health, housing, alcohol and drug use services, under one roof.</p>	People experiencing or at risk of deprivation, poverty and homelessness	<p>Strong evidence of the need for integrated services and multi-agency working for these vulnerable groups</p>	<ul style="list-style-type: none"> ✓ Joint commissioning arrangements in place between the local authority and clinical commissioning groups⁸⁹ ✓ Personalised needs assessment to identify the barriers which may be impacting on people's ability to engage with services⁹⁰ ✓ Where appropriate, link people into financial services and support, as well as housing and employment services⁹¹ ✓ Integrated services for trans people⁹² ✓ Multi-disciplinary team approach⁹³ ✓ As vulnerable groups may present with multiple alcohol and drug use issues, integrated substance use specialisms may be needed⁹⁴ ✓ Alcohol use issues and violent offences have been linked, thus interventions that tackle alcohol and violence should be considered⁹⁵ ✓ Multi-agency care is particularly important for those with schizophrenia and alcohol and drug use issues⁹⁶ ✓ Access to "accommodation, employment support, specialist substance use treatment and related services" has been identified as crucial to positive outcomes for prisoners upon release⁹⁷ ✓ 	<p>Ipswich-Suffolk's multi-agency strategy to support women to exit prostitution⁹⁸</p> <p>The High Impact & Complex Drinkers project⁹⁹</p>
		Mental Health / Behavioural Disorders			
		LGBT+			
		Prisoners and persons with convictions			

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Assertive, long-term outreach services	<p>Assertive outreach involves “persistent and long-term engagement with individuals”¹⁰⁰ which is pro-active and assertive “even in the face of challenging” behaviour or disengagement¹⁰¹.</p> <p>It requires highly skilled workers, who are able to detect and prevent issues early on and build productive relationships with people experiencing homelessness.</p>	People experiencing or at risk of deprivation, poverty and homelessness	Limited evidence on impacts of assertive outreach, particularly in the longer term, but some evidence to suggest that it reduces the number of people sleeping rough, and on the characteristics of more effective services ¹⁰²	<ul style="list-style-type: none"> ✓ Intensive and open-ended support where needed, rather than time-limited¹⁰³ ✓ “Founded on consistent client identification and referral”¹⁰⁴ ✓ Based on one-to-one relationships between a client and a specific worker, “who sticks with the client”¹⁰⁵ ✓ Delivery is in “community settings where appropriate, rather than in offices or institutions, to promote ordinary living”¹⁰⁶ ✓ Mobile outreach¹⁰⁷ ✓ “Where outreach leads to permanent, rather than temporary, accommodation tenancy sustainment outcomes are better”¹⁰⁸ ✓ “Accommodating rough sleepers in shared or congregate housing appears to be less effective and less desirable than self-contained options”¹⁰⁹ × Only placing an assertive outreach worker into the system, rather than focussing on joint solutions that meet multiple complex needs¹¹³ × Using assertive outreach to ‘move people on’¹¹⁴ × Absence of suitable permanent housing¹¹⁵ 	<p>Simon Community outreach and drop-in services¹¹⁰</p> <p>No Second Night Out¹¹¹ – combination of assertive outreach, public engagement, support to access temporary accommodation and/or reconnection. Small-scale evaluations suggest some success¹¹²</p>

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Rapid, easy and timely access to services	As vulnerable groups often face additional barriers to engaging with services, it is important that all opportunities for access to support are taken, particularly at vulnerable transition points, such as re-entry into the community after a period of incarceration.	People experiencing or at risk of deprivation, poverty and homelessness	Research evidences a need for a focus on making services accessible and available at critical points	<ul style="list-style-type: none"> ✓ Place mental health nurses and social workers within police stations, particularly for women prisoners or women with convictions¹¹⁶ ✓ Utilise prison as an opportunity to engage people in alcohol and drug treatment¹¹⁷ ✓ Effective care planning is needed to continue support from community to prison re-entry into the community¹¹⁸ particularly for those who are homeless¹¹⁹ ✓ Referral pathways should be clear to both staff and prisoners and take account of the high levels of literacy problems among prisoners¹²⁰ ✓ Accessible services for those who have no recourse to public funds for example homeless migrant populations¹²¹ ✓ Ensure services are designed to welcoming and non-judgemental 	<p>The “Effective Practice Model” for adults with convictions¹²²</p> <p>a reconnections-based approach to homeless migrants¹²³</p>
		Prisoners and persons with convictions		<ul style="list-style-type: none"> × Complex referral pathways × Delay between referral and access to support¹²⁴ 	

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Positive social identity; increasing 'recovery capital'	<p>Research suggests an important role for social networks in creating a 'pro-social identity', such as friends, family and groups that promote non-alcohol and drug related activities, or provide opposition to use¹²⁵, can provide support and encouragement for recovery, and can link people to positive opportunities such as employment and training.</p> <p>'Social identity mapping' has been proposed as a potentially effective way to understand the 'recovery capital' that an individual may have upon release from prison¹²⁶ for example colour coding networks to indicate whether a person is in recovery, currently has alcohol or drug use issues etc. "This then creates a visualisation of the recovery capital available to the individual through their social networks"</p>	People involved with Criminal Justice Services	<p>There is evidence to suggest that positive social networks impact on ability to maintain recovery from alcohol or drug use issues.</p> <p>Less is known about how these networks can be developed and / or strengthened</p>	<ul style="list-style-type: none"> ✓ Engagement with groups who "have access to more pro-social resources in the community and who are able to provide structures and support to the recovery pathway" ¹²⁷ ✓ Undertake a social identity mapping exercise with prisoners before their return into the community ✓ Link people being released from prison to community resources ✓ Engage persons involved in Criminal Justice in meaningful activities ✓ Enable visits and input from family or friends while in custody.¹²⁸ (provided relationships are not abusive) ✓ Recovery-oriented social networks¹²⁹ eg access to peer-led positive alcohol and drug free environments¹³⁰ 	
				<ul style="list-style-type: none"> × Stigma and social exclusion¹³¹ 	

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Holistic assessment	As many individuals have multiple and complex needs, initial service assessments need to be cognisant of this and able to capture wider issues. This links to integrated services and care pathways.	People experiencing or at risk of deprivation, poverty and homelessness	Evidence suggests a need for assessments that are able to account for multiple, intersecting issues Limited evidence on best practice tools	<ul style="list-style-type: none"> ✓ Use several different tools, for example screen separately for alcohol use, and assess wider issues¹³² ✓ Or use a holistic tool to assess all needs for example for homeless people the Homeless Health Assessment Tool¹³³ ✓ “Use of common assessment, screening tools and care plan templates can support a more co-ordinated care planning process”¹³⁴ 	Homeless Health Assessment Tool ¹³⁵ Single Shared Assessment?
		Mental Health / Behavioural Disorders			
		LGBT+			
		Prisoners and persons with convictions		<ul style="list-style-type: none"> × Multiple assessments for example to access different services 	
Named care coordinator	Named care coordinators can assist individuals in navigating often complex systems of services. They can act as a main point of contact for individuals with dual diagnosis, and convene meetings with relevant professionals ¹³⁶	Mental health / behavioural disorders	Effective for complex needs	<ul style="list-style-type: none"> ✓ Care coordinators being informed about various types of local support and services ✓ Effective relationships between organisations/services and commitment to joint care ✓ Assigning one health or social care professional to everyone with a dual diagnosis 	Leeds Dual Diagnosis Project ¹³⁷
				<ul style="list-style-type: none"> × Lack of communication between services × Individuals being referred from service to service without receiving care 	

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Accessible mental health services for those with alcohol or drug use issues	Mental health services which are accessible for those with problem alcohol or drug use. Services recognise that individuals have multiple intersecting needs that cannot be adequately addressed by one service alone.	People experiencing or at risk of deprivation, poverty and homelessness	Effective for those with dual diagnosis	<ul style="list-style-type: none"> ✓ Awareness of stigma and inequity of access to services that people may face¹³⁸ ✓ Looking out for multiple needs eg physical health problems, homelessness or unstable housing¹³⁹ ✓ Building confidence, self-esteem, social networks and life skills¹⁴⁰ ✓ Solving “real-life problems” including housing, debts and benefit issues 	Turning Point Hertfordshire Complex Needs Service ¹⁴¹
		Mental health / behavioural disorders		<ul style="list-style-type: none"> × Exclusion of people with severe mental illness who are experiencing alcohol and/or drug use issues¹⁴² 	
Dual diagnosis training and awareness	<p>The coexistence of alcohol and drug use and mental ill-health is referred to as “dual diagnosis”¹⁴³.</p> <p>While specialised services for those with a dual diagnosis are ideal, practitioners working across health and social care can also benefit from introductory training on the impacts of mental health and alcohol or drug use on one another.</p>	People experiencing or at risk of deprivation, poverty and homelessness	Effective for introductory training	<ul style="list-style-type: none"> ✓ Free to access ✓ Increases awareness of mental health and how it impacts on alcohol and drug use ✓ Increases awareness of alcohol and drug use and how they impact on mental health ✓ Provides information about skills and interventions with a focus on what helps¹⁴⁴ 	E-learning content on dual diagnosis (developed by Coventry University and PROGRESS) ¹⁴⁵
		Mental health / behavioural disorders		<ul style="list-style-type: none"> × Use of jargon × Need for more in-depth training to create dual diagnosis specialists¹⁴⁶ 	

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Motivational techniques and cognitive behavioural therapy	<p>Motivation building concerns “engaging the patient, then exploring and resolving ambivalence for change in [alcohol or drug] use”¹⁴⁷</p> <p>Cognitive behavioural therapy is used to help individuals to challenge and change negative thought patterns and actions¹⁴⁸. (See adults briefing for more detail).</p>	Mental health/ behavioural disorders	<p>Effective for reducing the amount of substance used for 12 months after intervention¹⁴⁹</p> <p>Effective in impacting on readiness to change use at 12 months that was not maintained at 24 months</p> <p>Limited evidence of effectiveness in reducing hospitalisation¹⁵⁰</p>	<ul style="list-style-type: none"> ✓ Need for sustained delivery ✓ Those with dual diagnosis taking an “active role in goal-setting and accomplishments during the course of treatment”¹⁵¹ ✓ Simultaneous treatment of problem alcohol or drug use and mental health issues¹⁵² ✓ Treatments which are tailored to individual needs¹⁵³ ✓ Use of specialist trained personnel¹⁵⁴ ✓ Engagement should be non-confrontational and respectful of the client’s subjective experience of substance use¹⁵⁵ 	Dual diagnosis toolkit: A practical guide for professionals and practitioners ¹⁵⁶

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Housing First approaches	<p>Stable housing has been shown to be important for improving mental and physical health and wellbeing. As mental ill-health and homelessness increase the risk of alcohol and drug use issues, approaches such as Housing First may reduce alcohol and drug related harms.</p> <p>In contrast to more traditional housing approaches, “Housing First does not require sobriety or treatment/service compliance as a condition for program entry or service continuation.”¹⁵⁷</p>	People experiencing or at risk of deprivation, poverty and homelessness	<p>Mixed evidence emerging around effectiveness, but this is likely to reflect a group with complex and persistent needs.</p> <p>A number of studies suggest reductions in alcohol use¹⁵⁸ and illicit drug use^{159,160,161}</p> <p>More effective than ‘treatment first’ approaches¹⁶²</p>	<ul style="list-style-type: none"> ✓ Adequate resources should be allocated to recruiting and retaining a highly skilled and experienced staff team¹⁶³ ✓ Provide continuity of support and consistency of support workers¹⁶⁴ ✓ Develop the necessary statutory and operational partnerships before implementation¹⁶⁵, including “strong links and formalised service level agreements between the housing and support provider”¹⁶⁶ ✓ Provide considerable wraparound support for those with alcohol and drug use issues¹⁶⁷ ✓ Evaluate specific harm reduction outcomes relating to alcohol and drug use within Housing First programmes¹⁶⁸ ✓ Flexible, non-time-limited support in their homes and communities.”¹⁶⁹ ✓ Engage frontline staff at an early stage¹⁷⁰ ✓ Liaison with the police to “alleviate housing providers’ concerns about the legalities of housing active drug users”¹⁷¹ ✓ Supportive community of tenants¹⁷² ✓ Reduce social isolation and encourage participation in activities¹⁷³ <ul style="list-style-type: none"> × Expectation of ‘linear’ progression and recovery × Requiring demonstration of housing readiness¹⁷⁵ × Requiring “absolute sobriety” to keep housing¹⁷⁶ 	Housing First Glasgow, Turning Point Scotland ¹⁷⁴

Intervention Type	Description	Relevant groups	Effectiveness	Enablers and inhibitors to impact	Good Practice
Wet housing / day centres	Wet housing or wet centres are spaces in which drinking is permitted. They are designed to reduce “harm from drinking in public spaces” ¹⁷⁷ , particularly for homeless populations, and to provide support and treatment to otherwise excluded populations ¹⁷⁸ .	People experiencing or at risk of deprivation, poverty and homelessness	<p>Limited evidence of effectiveness, particularly recent studies</p> <p>May help to reduce alcohol harm inequalities in some instances¹⁷⁹</p>	<ul style="list-style-type: none"> ✓ Adjust service delivery and specifications to suit local need and context¹⁸⁰ ✓ Keep the objective of helping clients to control drinking central¹⁸¹ ✓ Maintain good local community relations¹⁸² 	<p>Kiel safe drinking room, Germany¹⁸³</p> <p>REST centre, Liverpool¹⁸⁴</p> <p>Guidance manual for operating wet day centres in British towns¹⁸⁵</p>

References

¹ Statistics available at: [EJH_1-16_RN3_v.1.pdf](#)

² *Good practice: briefing Service without substance Addressing the gaps in service provision for street homeless people with a dual diagnosis*, Shelter, 2007. Available at: [Briefing Service Without Substance Jul 2007.pdf](#)

³ *The Public Health Burden of Alcohol and the Effectiveness and Cost-Effectiveness of Alcohol Control Policies An evidence review*, Public Health England, 2016. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/733108/alcohol_public_health_burden_evidence_review_update_2018.pdf

⁴ *Alcohol Framework 2018: Preventing Harm next steps on changing our relationship with alcohol*, Scottish Government, 2018. Available at: <https://www2.gov.scot/Resource/0054/00543214.pdf>

⁵ *Alcohol Framework 2018: Preventing Harm next steps on changing our relationship with alcohol*, Scottish Government, 2018. Available at: <https://www2.gov.scot/Resource/0054/00543214.pdf>

⁶ *The Scottish Burden of Disease Study*, NHS Health Scotland, 2016. Available at: <https://www.scotpho.org.uk/media/1656/sbod2016-deprivation-report-aug18.pdf>

⁷ Ibid

⁸ Ibid

⁹ *The Public Health Burden of Alcohol and the Effectiveness and Cost-Effectiveness of Alcohol Control Policies An evidence review*, Public Health England, 2016. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/733108/alcohol_public_health_burden_evidence_review_update_2018.pdf

¹⁰ *Drug misuse prevention: targeted interventions*, NICE, 2017. Available at: <https://www.nice.org.uk/guidance/ng64>

¹¹ *Understanding the whole person: Part one in a series of lit reviews on severe and multiple disadvantage*, Revolving Doors Agency, 2015. Available at: http://cdn.basw.co.uk/upload/basw_12226-6.pdf

¹² *Understanding the patterns of use, motives, and harms of New Psychoactive Substances in Scotland*, Macleod et al, 2016. Available at: <https://www.gov.scot/publications/understanding-patterns-use-motives-harms-new-psychoactive-substances-scotland/>

¹³ *Health and homelessness in Scotland: research*, Scottish Government, 2018. Available at: <https://www.gov.scot/publications/health-homelessness-scotland/pages/12/>

¹⁴ Ibid

¹⁵ Information available at: Drugs Deaths Warning Over Lethal Street Valium - Glasgow City Council

¹⁶ *Preventing suicide: a global imperative*, World Health Organisation, 2014. Available at: https://apps.who.int/iris/bitstream/handle/10665/131056/9789241564779_eng.pdf?sequence=1

¹⁷ *Alcohol Framework 2018: Preventing Harm next steps on changing our relationship with alcohol*, Scottish Government, 2018. Available at: <https://www2.gov.scot/Resource/0054/00543214.pdf>

¹⁸ *Drug misuse prevention: targeted interventions*, NICE, 2017. Available at: <https://www.nice.org.uk/guidance/ng64>

¹⁹ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health report.pdf](#)

²⁰ *Transgender Inclusion in Drug and Alcohol Services*, Scottish Trans Alliance, 2016. Available at: <https://www.scottishtrans.org/wp-content/uploads/2016/12/drug-and-alcohol-mini-report.pdf>

²¹ Statistics available at: <https://www.lgbtyouth.org.uk/national-programmes/policy-and-influencing/youth-commission-housing-and-homelessness/>

²² *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health report.pdf](#)

²³ *LGBTI Populations and Mental Health Inequality*, LGBT Health, 2018. Available at: [LGBTI-Populations-and-Mental-Health-Inequality-May-2018.pdf](#)

²⁴ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health report.pdf](#)

²⁵ Ibid

²⁶ *Primary Care Survey Report 2017*, LGBT Foundation, 2017. Available at: [LGBT172017-2017CareReport.pdf](#)

-
- ²⁷ *Understanding the patterns of use, motives, and harms of New Psychoactive Substances in Scotland*, Macleod et al, 2016. Available at: <https://www.gov.scot/publications/understanding-patterns-use-motives-harms-new-psychoactive-substances-scotland/>
- ²⁸ *Not for human consumption: An updated and amended status report on new psychoactive substances (NPS) and 'club drugs' in the UK*, DrugScope, 2015. Available at: <https://www.drugwise.org.uk/wp-content/uploads/not-for-human-consumption.pdf>
- ²⁹ *Substance misuse services for men who have sex with men involved in chemsex*, Public Health England, 2015. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance_misuse_services_for_men_who_have_sex_with_men_involved_in_chemsex.pdf
- ³⁰ *The social context of LGBT people's drinking in Scotland*, SHAAP. Available at: <http://www.shaap.org.uk/images/shaap-glass-report-web.pdf>
- ³¹ Ibid
- ³² Ibid
- ³³ *International Standards on Drug Use Prevention, Second updated edition*, UNODC/World Health Organisation, 2018. Available at: <http://www.unodc.org/unodc/en/prevention/prevention-standards.html>
- ³⁴ *Drug misuse prevention: targeted interventions*, NICE, 2017. Available at: <https://www.nice.org.uk/guidance/ng64>
- ³⁵ *Spotlight on Substance Misuse*, Revolving Doors Agency. Available at: *Spotlight on Substance Misuse - Revolving Doors*
- ³⁶ *The Public Health Burden of Alcohol and the Effectiveness and Cost-Effectiveness of Alcohol Control Policies An evidence review*, Public Health England, 2016. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/733108/alcohol_public_health_burden_evidence_review_update_2018.pdf
- ³⁷ *HRB drug and alcohol evidence review: the efficacy and effectiveness of drug and alcohol abuse prevention programmes delivered outside of school settings*, Health Research Board, 2014. Available at: https://www.drugsandalcohol.ie/23079/1/HRB036_Evidence_Series_Abuse_Programmes_Outside_Of_School_Settings_online.pdf
- ³⁸ *Cheers? Understanding the Relationship Between Alcohol and Mental Health*. Mental Health Foundation. 2006. Available at: *cheers_report[1].pdf*
- ³⁹ *Preventing suicide: a global imperative*, World Health Organisation, 2014. Available at: https://apps.who.int/iris/bitstream/handle/10665/131056/9789241564779_eng.pdf?sequence=1 ⁴⁰
- Preventing suicide: a global imperative*, World Health Organisation, 2014. Available at: https://apps.who.int/iris/bitstream/handle/10665/131056/9789241564779_eng.pdf?sequence=1 ⁴¹
- Preventing suicide: a global imperative*, World Health Organisation, 2014. Available at: https://apps.who.int/iris/bitstream/handle/10665/131056/9789241564779_eng.pdf?sequence=1 ⁴²
- Preventing suicide: a global imperative*, World Health Organisation, 2014. Available at: https://apps.who.int/iris/bitstream/handle/10665/131056/9789241564779_eng.pdf?sequence=1 ⁴³
- Global status report on alcohol and health 2018*, World Health Organisation, 201. Available at: <https://apps.who.int/iris/bitstream/handle/10665/274603/9789241565639-eng.pdf?ua=1> ⁴⁴
- Information taken from: Prisoner health - ScotPHO
- ⁴⁵ Ibid
- ⁴⁶ Ibid
- ⁴⁷ Ibid
- ⁴⁸ Ibid
- ⁴⁹ Information taken from: <https://www.alcohol-focus-scotland.org.uk/alcohol-information/alcohol-facts-and-figures/>
- ⁵⁰ *Spotlight on Substance Misuse*, Revolving Doors Agency. Available at: *Spotlight on Substance Misuse - Revolving Doors*
- ⁵¹ Ibid
- ⁵² Ibid
- ⁵³ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-Y-18.pdf](#)
- ⁵⁴ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health_report.pdf](#)
- ⁵⁵ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health_report.pdf](#)
- ⁵⁶ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-Y-18.pdf](#)
-

⁵⁷ Ibid

⁵⁸ *Primary Care Survey Report 2017*, LGBT Foundation, 2017. Available at: [LGBT1717-17-17Care17-Report.pdf](#)

⁵⁹ *LGBT Health and Inclusion Project Trans* Drug and Alcohol Support Survey – Report*, LGBT Health and Inclusion Project. Available at: <https://www.switchboard.org.uk/wp-content/uploads/2015/12/Trans-Drug-And-Alcohol-report.pdf>

⁶⁰ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health_report.pdf](#)

⁶¹ Ibid

⁶² Ibid

⁶³ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-17-18.pdf](#)

⁶⁴ *Primary Care Survey Report 2017*, LGBT Foundation, 2017. Available at: [LGBT17-17-17-17-Care17-Report.pdf](#)

⁶⁵ Ibid

⁶⁶ *Transgender Inclusion in Drug and Alcohol Services*, Valentine and Maund, SHAAP, Available at: <https://www.scottishtrans.org/wp-content/uploads/2017/03/trans-inclusion-in-drug-and-alcohol-services.pdf>

⁶⁷ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-17-18.pdf](#)

⁶⁸ *Drugs and Diversity: Lesbian, gay, bisexual and transgender (LGBT) communities*, UK Drug Policy Commission, 2010. Available at: https://www.ukdpc.org.uk/wp-content/uploads/Policy%20report%20-%20Drugs%20and%20diversity_%20LGBT%20groups%20%28policy%20briefing%29.pdf

⁶⁹ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-17-18.pdf](#)

⁷⁰ More information on the LGBT charter available at: <https://www.lgbtyouth.org.uk/lgbt-charter/lgbt-charter/>

⁷¹ *Transgender Inclusion in Drug and Alcohol Services*, Valentine, Maund, SHAAP, Available at: <https://www.scottishtrans.org/wp-content/uploads/2017/03/trans-inclusion-in-drug-and-alcohol-services.pdf>

⁷² *Drugs and Diversity: Lesbian, gay, bisexual and transgender (LGBT) communities*, UK Drug Policy Commission, 2010. Available at: https://www.ukdpc.org.uk/wp-content/uploads/Policy%20report%20-%20Drugs%20and%20diversity_%20LGBT%20groups%20%28policy%20briefing%29.pdf

⁷³ *Missing data in substance abuse research? Researchers' reporting practices of sexual orientation and gender identity*, Flentje A, Bacca CL, Cochran BN., 2014. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4297716/>

⁷⁴ *LGBT IN SCOTLAND HEALTH REPORT*, Stonewall Scotland, 2018. Available at: [lgbt_in_scotland - health_report.pdf](#)

⁷⁵ *Pride in Practice*, LGBT Foundation, 2018. Available at: [LGBT-Pride-in-Practice-Report-17-18.pdf](#)

⁷⁶ *Substance misuse services for men who have sex with men involved in chemsex*, Public Health England, 2015. Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance_misuse_services_for_men_who_have_sex_with_men_involved_in_chemsex.pdf

⁷⁷ *Primary Care Survey Report 2017*, LGBT Foundation, 2017. Available at: [LGBT17-17-17-17-Care17-Report.pdf](#)

⁷⁸ Ibid

⁷⁹ *Transgender Inclusion in Drug and Alcohol Services*, Valentine, Maund, SHAAP, Available at: <https://www.scottishtrans.org/wp-content/uploads/2017/03/trans-inclusion-in-drug-and-alcohol-services.pdf>

-
- ⁸⁰ *A Systematic Review of Interventions to Reduce Problematic Substance Use Among Transgender Individuals: A Call to Action*, Mary Ann Liebert Inc., 2017. Available at: <https://www.liebertpub.com/doi/full/10.1089/trgh.2016.0037>
- ⁸¹ *Substance misuse services for men who have sex with men involved in chemsex*, Public Health England, 2015. Available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance misuse services for men who have sex with men involved in chemsex.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance_misuse_services_for_men_who_have_sex_with_men_involved_in_chemsex.pdf)
- ⁸² *Spotlight on Substance Misuse*, Revolving Doors Agency. Available at: http://www.revolving-doors.org.uk/file/2282/download?token=L_-3-DmW
- ⁸³ *Community sentences since 2000: How they work – and why they have not cut prisoner numbers*, Catherine Heard, 2015. Available at: <https://www.keele.ac.uk/media/keeleuniversity/group/resilienceproject/Community%20sentences%20since%202000%20CCJS%20Sept%202015.pdf>
- ⁸⁴ *Spotlight on Substance Misuse*, Revolving Doors Agency. Available at: [Spotlight on Substance Misuse - Revolving Doors](#)
- ⁸⁵ More information available at: [Sexual health services for gay, bisexual and men who have sex with men | NHS inform](#)
- ⁸⁶ *Substance misuse services for men who have sex with men involved in chemsex*, Public Health England, 2015. Available at: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance misuse services for men who have sex with men involved in chemsex.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/669676/Substance_misuse_services_for_men_who_have_sex_with_men_involved_in_chemsex.pdf)
- ⁸⁷ *Brighter Futures Working together to reduce women's offending*, Prison Reform Trust, 2014. Available at: [Brighter Futures | Birth Companions](#)
- ⁸⁸ *Community sentences since 2000: How they work – and why they have not cut prisoner numbers*, Heard, 2015. Available at: <https://www.keele.ac.uk/media/keeleuniversity/group/resilienceproject/Community%20sentences%20since%202000%20CCJS%20Sept%202015.pdf>
- ⁸⁹ *Homelessness: applying All Our Health*, Public Health England Guidance, 2018. Available at: <https://www.gov.uk/government/publications/homelessness-applying-all-our-health/homelessness-applying-all-our-health>
- ⁹⁰ *Spotlight on Substance Misuse*, Revolving Doors Agency. Available at: [Spotlight on Substance Misuse - Revolving Doors](#)
- ⁹¹ *Eradicating 'Core Homelessness' in Scotland's Four Largest Cities*, Social Bite, 2017. Available at: <http://social-bite.co.uk/wp-content/uploads/2018/01/EradicatingCoreHomelessness.pdf>
- ⁹² *A Systematic Review of Interventions to Reduce Problematic Substance Use Among Transgender Individuals: A Call to Action*, Mary Ann Liebert Inc., 2017. Available at: <https://www.liebertpub.com/doi/full/10.1089/trgh.2016.0037>
- ⁹³ *Review of Drug and Alcohol Treatment Services for Adult Offenders in Prison and in the Community*, Eustace Patterson Ltd, 2016. Available at: [PS_IPS_Probation_Review_of_treatment_for_offenders.pdf](#)
- ⁹⁴ Ibid
- ⁹⁵ *Alcohol problems in the criminal justice system: an opportunity for intervention*, WHO, 2012. Available at: [Alcohol problems in the criminal justice system: an opportunity for intervention](#) ⁹⁶ *Schizophrenia & Substance Use*. Schizophrenia Society of Canada. Available at:
- ⁹⁷ *State of the Sector 2014 – 15*, Drugscope, 2015. Available at: <https://drugscopelegacysite.files.wordpress.com/2015/06/sosfinal2015.pdf>
- ⁹⁸ *Evaluation Research report: Ipswich Street Prostitution Strategy*. UEA Norwich, Poland et al, 2008.
- ⁹⁹ *Final Report High Impact Complex Drinkers Pilot 2016*, Surrey County Council, 2016. Available at: <https://ranzetta.typepad.com/files/high-impact-complex-drinkers-surrey-2016.pdf>
- ¹⁰⁰ *Eradicating 'Core Homelessness' in Scotland's Four Largest Cities*, Social Bite, 2017. Available at: <http://social-bite.co.uk/wp-content/uploads/2018/01/EradicatingCoreHomelessness.pdf>
- ¹⁰¹ Ibid
- ¹⁰² *Ending rough sleeping: what works?*, Mackie, Johnsen, Wood, Crisis, 2017. Available at: https://www.crisis.org.uk/media/238368/ending_rough_sleeping_what_works_2017.pdf
- ¹⁰³ *Eradicating 'Core Homelessness' in Scotland's Four Largest Cities*, Social Bite, 2017. Available at: <http://social-bite.co.uk/wp-content/uploads/2018/01/EradicatingCoreHomelessness.pdf>
- ¹⁰⁴ Ibid
- ¹⁰⁵ Ibid
- ¹⁰⁶ Ibid
- ¹⁰⁷ *Good practice report: New directions Volume 2: supporting street homeless people with complex needs*, Shelter, 2008. Available at: [GP_Briefing_Housing_First.pdf](#)
- ¹⁰⁸ *Ending rough sleeping: what works?*, Mackie, Johnsen, Wood, Crisis, 2017. Available at: https://www.crisis.org.uk/media/238368/ending_rough_sleeping_what_works_2017.pdf
- ¹⁰⁹ Ibid

-
- ¹¹⁰ More information available at: Simon Community | Drugs & Alcohol Low Threshold Service
- ¹¹¹ More information available at: [Ending Rough Sleeping: What Works? | Crisis UK](#)
- ¹¹² *Ending rough sleeping: what works?*, Mackie, Johnsen, Wood, Crisis, 2017. Available at: https://www.crisis.org.uk/media/238368/ending_rough_sleeping_what_works_2017.pdf
- ¹¹³ *Final Report High Impact Complex Drinkers Pilot 2016*, Surrey County Council, 2016. Available at: <https://ranzetta.typepad.com/files/high-impact-complex-drinkers-surrey-2016.pdf>
- ¹¹⁴ *Ending rough sleeping: what works?*, Mackie, Johnsen, Wood, Crisis, 2017. Available at: https://www.crisis.org.uk/media/238368/ending_rough_sleeping_what_works_2017.pdf
- ¹¹⁵ Ibid
- ¹¹⁶ *Brighter Futures Working together to reduce women's offending*, Prison Reform Trust, 2014. Available at: <http://www.prisonreformtrust.org.uk/Portals/0/Documents/Brighter%20Futures%2025314web.pdf>
- ¹¹⁷ *Review of Drug and Alcohol Treatment Services for Adult Offenders in Prison and in the Community*, Eustace Patterson Ltd, 2016. Available at: Brighter Futures | Birth Companions
- ¹¹⁸ Ibid
- ¹¹⁹ Ibid
- ¹²⁰ *Alcohol problems in the criminal justice system: an opportunity for intervention*, World Health Organisation, 2012. Available at: [Alcohol problems in the criminal justice system: an opportunity for intervention](#)
- ¹²¹ *Good practice report: New directions Volume 2: supporting street homeless people with complex needs*, Shelter, 2008. Available at: [GP Briefing Housing First.pdf](#)
- ¹²² *Review of Drug and Alcohol Treatment Services for Adult Offenders in Prison and in the Community*, Eustace Patterson Ltd, 2016. Available at: [Brighter Futures | Birth Companions](#)
- ¹²³ *Good practice report: New directions Volume 2: supporting street homeless people with complex needs*, Shelter, 2008. Available at: [GP Briefing Housing First.pdf](#)
- ¹²⁴ *Eradicating 'Core Homelessness' in Scotland's Four Largest Cities*, Social Bite, 2017. Available at: <http://social-bite.co.uk/wp-content/uploads/2018/01/EradicatingCoreHomelessness.pdf>
- ¹²⁵ *Network support as a prognostic indicator of drinking outcomes: the COMBINE Study*, Longabaugh et al, 2010. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/20946740>
- ¹²⁶ *Overcoming alcohol and other drug addiction as a process of social identity transition: the social identity model of recovery (SIMOR)*, Best et al, 2014. Available at: http://shura.shu.ac.uk/10842/1/Best%20-%20Social%20Identity%20Model%20of%20Recovery_main%20doc%20ART_final%20revision.pdf
- ¹²⁷ *The bridge between social identity and community capital on the path to recovery and desistance*, Best et al, 2018. Available at: <http://shura.shu.ac.uk/21458/4/Best%20Bridge%20between%20social%20identity%20and%20community%20capital.pdf>
- ¹²⁸ *The Effects of Prisoner Attachment to Family on Re-entry Outcomes: A Longitudinal Assessment*, Brunton-Smith, McCarthy, 2016. Available at: [Effects of Prisoner Attachment to Family on Re-entry Outcomes: A Longitudinal Assessment | The British Journal of Criminology | Oxford Academic](#)
- ¹²⁹ *The bridge between social identity and community capital on the path to recovery and desistance*, Best et al, 2018. Available at: <http://shura.shu.ac.uk/21458/4/Best%20Bridge%20between%20social%20identity%20and%20community%20capital.pdf>
- ¹³⁰ *Review of Drug and Alcohol Treatment Services for Adult Offenders in Prison and in the Community*, Eustace Patterson Ltd, 2016. Available at: Brighter Futures | Birth Companions
- ¹³¹ *The bridge between social identity and community capital on the path to recovery and desistance*, Best et al, 2018. Available at: <http://shura.shu.ac.uk/21458/4/Best%20Bridge%20between%20social%20identity%20and%20community%20capital.pdf>
- ¹³² *Alcohol problems in the criminal justice system: an opportunity for intervention*, World Health Organisation, 2012. Available at: [Alcohol problems in the criminal justice system: an opportunity for intervention](#)
- ¹³³ *Homeless Health Assessment Tool* by The Queens Nursing Institute: Health Assessment Tool – The Queen's Institute of Community Nursing
- ¹³⁴ *Review of Drug and Alcohol Treatment Services for Adult Offenders in Prison and in the Community*, Eustace Patterson Ltd, 2016. Available at: [Brighter Futures | Birth Companions](#)
- ¹³⁵ *Homeless Health Assessment Tool* by The Queens Nursing Institute: [Health Assessment Tool – The Queen's Institute of Community Nursing](#)
- ¹³⁶ *Dual Diagnosis Protocol*. Cambridge and Peterborough, NHS Foundation Trust, 2014. Available at: [Ibid](#)

-
- ¹³⁷ *Leeds Dual Diagnosis Project*. Available at: [Forward Leeds delivers a fresh approach to dual diagnosis - Collective Voice](#)
- ¹³⁸ *Coexisting severe mental illness and substance misuse: community health and social care services*, NICE, 2016. Available at: <https://www.nice.org.uk/guidance/ng58/chapter/Recommendations#first-contact-with-services>
- ¹³⁹ Ibid
- ¹⁴⁰ *Complex Needs Service*, Herts Mind Network, 2019. Available at: [Complex Needs Housing Service | Hertfordshire Mind Network](#)
- ¹⁴¹ *Mental Health and Substance Misuse*, DrugScope, 2015. Available at: <https://www.drugwise.org.uk/wp-content/uploads/CoexistingMHandSMfull.pdf>
- ¹⁴² *Coexisting severe mental illness and substance misuse: community health and social care services*, NICE, 2016. Available at: <https://www.nice.org.uk/guidance/ng58/chapter/Recommendations#first-contact-with-services>
- ¹⁴³ *Cheers? Understanding the Relationship Between Alcohol and Mental Health*, Mental Health Foundation. 2006. Available at: <https://www.mentalhealth.org.uk/publications/cheers-understanding-relationship-between-alcohol-and-mental-health>
- ¹⁴⁴ All enabling factors from: *National E-Learning Resource*, National Consortium of Consultant Nurses, 2019. Available at: Ibid
- ¹⁴⁵ *National E-Learning Resource*, National Consortium of Consultant Nurses, 2019. Available at: Ibid
- ¹⁴⁶ All inhibiting factors from: *National E-Learning Resource*, National Consortium of Consultant Nurses, 2019. Available at: Ibid
- ¹⁴⁷ *Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised control trial*. BMJ. 2010. Available at: <https://www.bmj.com/content/341/bmj.c6325>
- ¹⁴⁸ *Cognitive Behavioural Therapy (CBT)*, NHS, 2018. Available online at: <https://www.nhs.uk/conditions/cognitive-behavioural-therapy-cbt/>
- ¹⁴⁹ *Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised control trial*, British Medical Journal, 2010. Available at: <https://www.bmj.com/content/341/bmj.c6325>
- ¹⁵⁰ Ibid
- ¹⁵¹ *Treatment Therapies for Dual Diagnosis Patients*, Foundations Recovery, 2019. Available at: Building Resilience: Dual Diagnosis Recovery for a Brighter Future | Rise Above Treatment
- ¹⁵² Ibid
- ¹⁵³ *Psychosocial Treatments for People with Co-occurring Severe Mental Illnesses and Substance Use Disorders (Dual Diagnosis): A Review of Empirical Evidence*. Horsfall, Cleary, Hunt, Walter, 2007. Available at: https://www.tandfonline.com/doi/abs/10.1080/10673220902724599?src=recsys&journalCode=ihrp20#_i6
- ¹⁵⁴ Ibid
- ¹⁵⁵ *Management of Dual Diagnosis*, Kingdon, 2016. Available at: Dual diagnosis: management within a psychosocial context | Advances in Psychiatric Treatment | Cambridge Core
- ¹⁵⁶ *Dual Diagnosis Toolkit: A Practical Guide for Professionals and Practitioners*, Turning Point and Rethink, 2004. Available at: Dual Diagnosis toolkit: A practical guide for professionals and practitioners - Association of Mental Health Providers
- ¹⁵⁷ *Housing First and harm reduction: a rapid review and document analysis of the US and Canadian open-access literature*, Watson et al, 2017. Available at: <https://harmreductionjournal.biomedcentral.com/articles/10.1186/s12954-017-0158-x>
- ¹⁵⁸ *The impact of a Housing First randomized controlled trial on substance use problems among homeless individuals with mental illness*, Kirst et al, 2015. Available at: <https://www.sciencedirect.com/science/article/pii/S0376871614018821>
- ¹⁵⁹ *Effectiveness of Housing First with Intensive Case Management in an Ethnically Diverse Sample of Homeless Adults with Mental Illness: A Randomized Controlled Trial*, Stergiopoulos et al, 2015. Available at: <https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0130281&type=printable>
- ¹⁶⁰ *Turning Point Scotland's Housing First Project Evaluation Final Report*, Johnsen, 2013. Available at: TPS_Housing_First_Final_Report.pdf
- ¹⁶¹ *Housing First for Adults with Problematic Substance Use*, Cherner et al, 2017. Available at: <https://www.tandfonline.com/doi/abs/10.1080/15504263.2017.1319586>
- ¹⁶² *Substance Use Outcomes Among Homeless Clients with Serious Mental Illness: Comparing Housing First with Treatment First Programs*, Padgett et al, 2010. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2916946/>
- ¹⁶³ *Understanding the implementation of Housing First in England*, Housing First England, 2018. Available at Implementing Housing First across Britain | Crisis UK
- ¹⁶⁴ Ibid
- ¹⁶⁵ Ibid

¹⁶⁶ Ibid

¹⁶⁷ *Housing First or no housing? Housing and homelessness at the end of alcohol and drug treatment*, Dyb, 2016. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0955395916302249>

¹⁶⁸ *Housing First and harm reduction: a rapid review and document analysis of the US and Canadian open-access literature*, Watson et al, 2017. Available at: <https://harmreductionjournal.biomedcentral.com/articles/10.1186/s12954-017-0158-x>

¹⁶⁹ *Turning Point Scotland's Housing First Project Evaluation Final Report*, Johnsen, 2013. Available at: TPS_Housing_First_Final_Report.pdf

¹⁷⁰ Ibid

¹⁷¹ Ibid

¹⁷² *Housing First: Where Is The Evidence?*, Waegemakers Schiff, Rook, 2012. Available at: https://www.homelesshub.ca/sites/default/files/HousingFirstReport_final.pdf

¹⁷³ *Turning Point Scotland's Housing First Project Evaluation Final Report*, Johnsen, 2013. Available at: TPS_Housing_First_Final_Report.pdf

¹⁷⁴ *Turning Point Scotland's Housing First Project Evaluation Final Report*, Johnsen, 2013. Available at: TPS_Housing_First_Final_Report.pdf

¹⁷⁵ *Housing First: Where Is The Evidence?*, Waegemakers Schiff, Rook, 2012. Available at: https://www.homelesshub.ca/sites/default/files/HousingFirstReport_final.pdf

¹⁷⁶ Ibid

¹⁷⁷ *Alcohol and inequities Guidance for addressing inequities in alcohol-related harm*, World Health Organisation, 2014. Available at: [Alcohol and inequities: guidance for addressing inequities in alcohol-related harm](#)

¹⁷⁸ *Wet Day Centres in the United Kingdom: A Research Report and Manual*, Crane and Warnes, 2003. Available at: [.1.1 Crane Wet Day Centres in UK \(Full Report\) .pdf](#)

¹⁷⁹ *Alcohol and inequities Guidance for addressing inequities in alcohol-related harm*, World Health Organisation, 2014. Available at: [Alcohol and inequities: guidance for addressing inequities in alcohol-related harm](#)

¹⁸⁰ *Wet Day Centres in the United Kingdom: A Research Report and Manual*, Crane and Warnes, 2003. Available at: [.1.1 Crane - Wet Day Centres in UK \(Full Report\) .pdf](#)

¹⁸¹

Ibid

¹⁸² Ibid

¹⁸³ *Alcohol and inequities Guidance for addressing inequities in alcohol-related harm*, World Health Organisation, 2014. Available at: [Alcohol and inequities: guidance for addressing inequities in alcohol-related harm](#)

¹⁸⁴ Information available at: <https://www.local.gov.uk/liverpool-city-council-providing-holistic-drop-service-street-drinkers>

¹⁸⁵ *Wet Day Centres in the United Kingdom: A Research Report and Manual*, Crane and Warnes, 2003. Available at: [.1.1 Crane - Wet Day Centres in UK \(Full Report\) .pdf](#)