### **Scottish Koilocyte Identification Project (SKIP)**

#### **Funded by Edinburgh and Lothians Health Foundation**

#### Fiona McQueen, Scottish Cytology Training School Manager

One of the aims of the SKIP Project was to assemble a reference set of validated examples of koilocytes and their mimics. The Scottish Training Officers (TOs) group agreed that a set of images, accessible through the Scottish Cytology Training School (SCTS) web pages, would be a useful teaching resource.

#### **Background**

Each laboratory in Scotland was asked to collect 10 samples (and prepared slides) from the following categories

- Category 1 Cases that contain unequivocal koilocytes
- Category 2 Cases that contain cells that are probably koilocytes but do not show all their canonical features
- Category 3 Cases that contain cells mimicking koilocytes

219 slides were received and reviewed by the TOs. The corresponding residual samples were sent to the Scottish HPV Reference Laboratory (SHPVRL) for HPV testing with Abbott *rt*HPV and Optiplex HPV Genotyping Test.

Cases where TO consensus ≥80% for each category were submitted for more detailed morphological analysis and categorisation.

#### Morphological criteria assessed


#### Presence of


- Large, clear perinuclear haloes
- Ring of condensed cytoplasm
- Enlarged nuclei (binucleation, multinucleation)
- Abnormal chromatin pattern (coarse, hyperchromatic)

#### **Results**


HPV distribution in cases with ≥80% consensus










Category 1 Category 2 Category 3







Koilocytes with large, clear perinuclear clearings and thickened cytoplasm. Nuclei are enlarged, hyperchromatic with a coarse chromatin pattern. Binucleation is present.







Koilocytes with enlarged variable nuclei and coarse chromatin. Large well defined haloes and thickened cytoplasm







Koilocytes with hyperchromatic, enlarged nuclei and large clear perinuclear haloes. Binucleation is present. Abnormal chromatin pattern







Koilocytes with hyperchromatic, enlarged nuclei. Binucleation is present. Large, well defined perinuclear haloes and thickened cytoplasm







Cell with thickened rim of cytoplasm and perinuclear halo. Nucleus shows minimal enlargement and chromatin is regular







Cell with thickened rim of cytoplasm and perinuclear halo but no nuclear enlargement or abnormality present







Cells with thickened rim of cytoplasm (on the inner aspect only) and perinuclear haloes (not well defined). Mild degree of nuclear enlargement. Compare with category 1, examples 1 and 3 images







Cells with thickened rim of cytoplasm and perinuclear halo. Normal nucleus







Cell showing binucleation only. No distinct halo or cytoplasmic thickening







Enlarged nucleus but normal chromatin pattern. Appearance of perinuclear halo but no distinct clearing or thickened cytoplasm





Cluster of cells with yellow stained glycogen filled cytoplasm.





 ${\it Group\ of\ cells\ with\ normal\ nuclei\ and\ no\ distinct\ perinuclear\ clearing.}$