

SOP number	59.002	Version	1.0
Title	System: Description of Redundancy Features		

Prepared by Signature	Charlie Mayor	Date
Approved by Signature	Chloë Cowan	Date
Released by Signature	Julie Brittenden	Date

SOP category	West of Scotland Safe Haven																		
Staff category																			
<table><tr><th>Staff Category</th><th>R</th><th>A</th><th>C</th><th>I</th></tr><tr><td>West of Scotland Safe Haven Manager</td><td></td><td>X</td><td></td><td></td></tr><tr><td>IT Systems</td><td>X</td><td></td><td></td><td></td></tr></table>					Staff Category	R	A	C	I	West of Scotland Safe Haven Manager		X			IT Systems	X			
Staff Category	R	A	C	I															
West of Scotland Safe Haven Manager		X																	
IT Systems	X																		

1. Scope

This procedure applies to the Safe Haven within NHS Greater Glasgow and Clyde.

2. Purpose

The purpose of this Standard Operating Procedure is to describe redundancy features implemented for Safe Haven critical systems.

3. Procedures

3.1. RCB Procedures

One or more of the following redundancy features will be implemented:

- Uninterrupted Power Supply (UPS)
- Redundant Array of Independent Disks (RAID)
- Virtualisation
- Clustering
- Multiple network paths
- Multiple power supplies
- Tape or DVD backup systems
- Other as appropriate

A list of critical systems and their redundancy protection will be documented according to RCB SOPs and Guidelines.

3.2. NHS Procedures

One or more of the following redundancy features will be implemented:

- Uninterrupted Power Supply (UPS)
- Redundant Array of Independent Disks (RAID)
- Virtualisation
- Clustering
- Multiple network paths
- Multiple power supplies
- Tape or DVD backup systems
- Other as appropriate

NHS Procedures are managed by eHealth Directorate.

4. Referenced documents

- N/A

5. Related documents

- N/A

6. Document history

Version	Date	Description
1.0		Migration to Glasgow Clinical Trials Unit QMS

This SOP is a controlled document. The current version can be viewed on the GCTU website.
Any copy reproduced from the website may not, at time of reading, be the current version.