	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	1 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

### Guidance Objective

To ensure that Healthcare Workers (HCWs) are aware of the actions and precautions necessary to minimise the risk of outbreaks and the importance of diagnosing patients' clinical conditions promptly.

This guidance applies to all staff employed by NHS Greater Glasgow & Clyde and locum staff on fixed term contracts and volunteer staff.


### KEY CHANGES FROM THE PREVIOUS VERSION OF THIS GUIDANCE

**Important Note:** The version of this policy found on the Infection Prevention & Control (eIPC Manual) on the intranet page is the only version that is controlled. Any other versions either printed or embedded into other documents or web pages should be viewed as uncontrolled and as such may not necessarily contain the latest updates, amendments, or linkages to other documents.

### Document Control Summary


Approved by and date	Board Infection Control Committee 18 <sup>th</sup> August 2022
Date of Publication	22 <sup>nd</sup> August 2022
Developed by	Infection Prevention and Control Policy Sub-Group
Related Documents	NHSGGC Waste Management Policy NHSGGC Twice Daily Clean of Isolation Rooms SOP NHSGGC Cleaning of Near Patient Equipment SOP NHSGGC Hand Hygiene Aide Memoire NHSGGC Terminal Clean of Ward/Isolation Room SOP National Infection Prevention and Control Manual
Distribution/Availability	NHSGGC Infection Prevention and Control web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>
Lead Manager	Director Infection Prevention and Control
Responsible Director	Executive Director of Nursing

The most up-to-date version of this guidance can be viewed at the following web page:  
[www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control](http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control)

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	2 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			


## CONTENTS

VRE Aide Memoire .....	3
1. Responsibilities .....	4
2. General Information on VRE.....	5
3. Transmission Based Precautions for Patients with VRE .....	6
4. Evidence base .....	9


	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	3 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

## VRE Aide Memoire

At risk patients being nursed in a high risk area e.g. Patients in intensive care units, Renal Units, High Dependency Units (HDU) and haemato-oncology units. All inpatients symptomatic of loose stools, incontinent of urine, has a drain in situ or leaking wounds.



The most up-to-date version of this guidance can be viewed at the following web page:  
[www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control](http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control)

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	4 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

## 1. Responsibilities

### Healthcare Workers (HCWs) must:


- Follow this guidance
- Inform a member of the Infection Prevention and Control Team (IPCT) if this guidance cannot be followed
- Provide information on VRE to patients and relatives as appropriate and document in patient records.

### Senior Charge Nurses (SCN) / Managers must:

- Ensure that staff are aware of the contents of this guidance.
- Support HCWs and IPCTs in implementing this guidance.


### Infection Prevention and Control Teams (IPCTs) must:

- Keep this guidance up-to-date.
- Provide education opportunities on this guidance.
- Advise and support HCWs to undertake a Risk Assessment if unable to follow this guidance.

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	5 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			


## 2. General Information on VRE

<b>Communicable Disease/ Alert Organism</b>	Vancomycin Resistant Enterococci (VRE). There are two types of enterococci which commonly colonise humans and occasionally cause infections – <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> . Vancomycin resistance in these organisms is becoming increasingly common in hospitals thus reducing therapeutic options particularly for those who are debilitated with chronic or complex medical conditions.
<b>Clinical Condition</b>	<p>Patients may be colonised in their gut/urine/wound/invasive devices sites without signs of infection.</p> <p>Patients may go on to develop infection such as wound infections, urinary tract infections of blood stream infections that requires treatment.</p>
<b>Incubation period</b>	Variable - Estimates of the incubation period vary from days to weeks or even longer.
<b>Mode of Spread</b>	Contact: <ul style="list-style-type: none"> <li>- Direct – touching.</li> <li>- Indirect – via the hands of HCWs touching contaminated patient care equipment or environmental surfaces.</li> <li>- Faecal – Oral – where hands or items contaminated with faecal organisms are placed directly into the mouth.</li> </ul>
<b>Notifiable disease</b>	No
<b>Period of communicability</b>	As long as the organism is isolated from a wound/ site which has not healed or patient has loose stools or is incontinent of urine if VRE detected in urine. Some specialist areas e.g. Renal medicine may continue to isolate asymptomatic patients.
<b>Persons most at risk</b>	Patients, who are immunocompromised, have surgical wounds, pressure ulcers, invasive devices or received several courses of antibiotics.

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	6 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			


### 3. Transmission Based Precautions (TBPs) for Patients with VRE

<b>Accommodation (Patient Placement)</b>	Patients only require to be isolated with TBP's in place if they are symptomatic of loose stools, incontinent of urine and/or have leaking wounds/drain site. A single room, preferably en-suite, should be made available for these patients. If a single room is not available or in instances where a patient's clinical condition may not support placement in a single room, the IPCT should be informed and a risk assessment undertaken by the ward staff on where to safely nurse the patient. This must be documented in the patient notes and reviewed daily. Doors in single rooms must be kept closed. If this is not possible, a <a href="#">failure to isolate risk assessment</a> should be undertaken and documented in clinical notes. If isolation is not required SICPs should be followed but if patient becomes symptomatic they should be isolated with TBP's.
<b>Care Check list</b>	Yes <a href="#">VRE Care Checklist</a>
<b>Clinical/ Healthcare Waste</b>	For patients in isolation with TBP's in place all non-sharps waste from patients with VRE should be designated as clinical healthcare waste and placed in an orange bag. Please refer to the <a href="#">NHSGCC Waste Management Policy</a> .
<b>Domestic Services/ Facilities</b>	Domestic staff must follow the SOP for Twice Daily Clean of Isolation Rooms. Cleans should be undertaken at least four hours apart. <a href="#">Twice Daily Clean of Isolation Rooms SOP</a>
<b>Equipment</b>	Where practical allocate individual equipment, e.g. own washbowl, commode, hoist sling or sliding-sheet. Decontaminate equipment as per the NHSGGC SOP Cleaning of Near Patient Equipment. <a href="#">Cleaning of Near Patient Equipment SOP</a>
<b>Hand Hygiene</b>	Hand hygiene is the single most important measure to prevent cross-infection with VRE. <a href="#">Hand Hygiene Aide Memoire</a>


	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	7 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

<b><i>Last Offices</i></b>	See National guidance for Last Offices. <a href="#">National Last Offices Guidance</a>
<b><i>Linen</i></b>	While patient requires TBP's to be in place treat used linen as soiled/ infected, i.e. place in a water soluble bag, then a clear bag tied (brown bag used in Mental Health areas) and then into a laundry bag. Please refer to National Guidance on the safe management of linen. <a href="#">National Laundry Guidance</a>
<b><i>Moving between wards, hospitals and departments (including theatres)</i></b>	If patient is isolated movement should be kept to a minimum and should only occur if clinically indicated. Prior to transfer, HCWs from the ward where the patient is located <b>must</b> inform the receiving ward, theatre or department of the patient's VRE status. When patients need to attend other departments the receiving area should put in place arrangements to minimise contact with other patients and arrange for additional domestic cleaning if required while the patient requires TBP's to be in place.
<b><i>Notice for Door</i></b>	A yellow IPC sign must be placed on the door to the patient's room which must be closed. In Mental Health Services – on the advice of the IPCT.
<b><i>Patient Clothing (for home laundering)</i></b>	If relatives or carers take personal clothing home, staff must place soiled clothing into a domestic alginate bag and ensure that a <a href="#">Washing Clothes at Home Leaflet</a> is issued.  <b>NB</b> It should be recorded in the nursing notes that both advice and the information leaflet has been issued.
<b><i>Patient Information</i></b>	The clinical team with overall responsibility for the patient must inform the patient and provide written information on VRE to the patient and any persons caring for the patient, e.g. parent, guardian/ next-of-kin (as appropriate).  <a href="#">VRE Patient Information Leaflet</a>
<b><i>Personal Protective Equipment (PPE)</i></b>	To prevent spread through direct contact PPE (disposable gloves and yellow apron) must be worn for all direct contact with the patient or the patient's environment/equipment while the patient has TBP's in place.

The most up-to-date version of this guidance can be viewed at the following web page:  
[www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control](http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control)

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	8 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

<b><i>Precautions required until</i></b>	Please contact your local IPCT for advice on when/if transmission based precautions can be discontinued.
<b><i>Procedure restrictions</i></b>	There is no reason to place patients with VRE at the end of operation/procedure lists. Areas must be informed of current status and need for enhanced cleaning. No restrictions are required in Out-Patient settings but strict adherence to Standard Infection Control Precautions (SICPs) is essential.
<b><i>Specimens required</i></b>	A stool specimen if the patient is symptomatic of loose stools. The IPCT may request other sites such as: wound, urine/any other vulnerable sites.
<b><i>Terminal Cleaning of Room</i></b>	Follow <a href="#">Terminal Clean of Ward/Isolation Room SOP</a>
<b><i>Visitors</i></b>	Visitors are not required to wear aprons and gloves unless they are participating in patient care. They should be advised to decontaminate their hands on leaving the room / patient.

	NHS Greater Glasgow & Clyde BOARD INFECTION CONTROL COMMITTEE	Page	9 of 9
		Effective From	July 2022
	<b>VANCOMYCIN RESISTANT ENTEROCOCCI (VRE)  GUIDANCE</b>	Review Date	July 2024
		Version	2
The most up-to-date version of this guidance can be viewed at the following web page: <a href="http://www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control">www.nhsggc.scot/hospitals-services/services-a-to-z/infection-prevention-and-control</a>			

#### 4. Evidence base:

<http://www.nipcm.hps.scot.nhs.uk/>

<http://www.nipcm.hps.scot.nhs.uk/a-z-pathogens/>